State of Utah Traffic Records Strategic Plan for FFY2022



May 12, 2021

This page intentionally left blank.

Table of Contents

1.	Exe	ecuti	ve Summary	1
2.	Mi	ssion	& Vision Statements	3
	2.1	Mis	sion Statement	3
	2.2	Visi	on Statement	3
3.	Tra	affic F	Records Coordinating Committee	4
	3.1	Tra	ffic Records Improvement Program Coordinator	4
	3.2	TRO	CC Committee Members	4
	3.3	Pas	t TRCC Meetings	6
	3.4	Fut	ure TRCC Meeting Schedule	6
	3.5	NH	TSA Traffic Records Assessment	7
4.	Tra	affic F	Records Strategic Plan	8
	4.1	Uta	h Traffic Records Coordinating Committee (UTRCC)	8
	4.1	1	TRCC Overview	8
	4.1 the		Recommendations for Traffic Records Coordinating Committee Management	
	4.1	3	Goals for TRCC	9
	4.1	4	Strategic Planning Overview	10
	4.1	5	Recommendations for Strategic Planning from the NHTSA Assessment	10
	4.1	6	Goals for Strategic Planning	10
	4.2	Uta	h Traffic Records Data Systems Overview	12
	4.2	2.1	Data Use & Integration Overview	13
	4.2	2.2	Recommendations for Data Use & Integration from the NHTSA Assessment	13
	4.2	2.3	Goals for Data Use & Integration	14
	4.3	Cra	sh Data System Plan	15
	4.3	3.1	System Overview	15
	4.3	3.2	Crash Recommendations from the NHTSA Assessment	16
	4.3	3.3	Crash Goals	17
	4.4	Veł	nicle Data System Plan	22
	4.4	l.1	System Overview	22
	4.4	1.2	Vehicle Recommendations from the NHTSA Assessment	23

	4.4.	3	Vehicle Goals	23
4.	.5	Driv	er Data System Plan	26
	4.5.	1	System Overview	26
	4.5.	2	Driver Recommendations from the NHTSA Assessment	27
	4.5.	3	Driver Goals	27
4.	.6	Roa	dway Data System Plan	29
	4.6.	1	System Overview	29
	4.6.	2	Roadway Recommendations from NHTSA Assessment	30
	4.6.	3	Roadway Goals	30
4.	.7	Cita	tion/Adjudication Data System Plan	33
	4.7.	1	System Overview	33
	4.7.	2	Citation/Adjudication Recommendations from the NHTSA Assessment	34
	4.7.	3	Citation/Adjudication Goals	34
4.	.8	Inju	ry Surveillance Data System Plan	37
	4.8.	1	System Overview	37
	4.8.	1.1	Pre-Hospital Data System	37
	4.8.	1.2	Statewide Emergency Department and Hospital Discharge Data Systems	37
	4.8.	1.3	Statewide Trauma Data System	38
	4.8.	1.4	Vital Records Data System	38
	4.8.	2	Injury Surveillance Recommendations from the NHTSA Assessment	38
	4.8.	3	EMS/Injury Surveillance Goals	39
5.	Prog	gress	S	41
5.	.1	Traf	fic Records Performance Measures	41
	5.1.	1	Crash Timeliness – Received within 30 days	41
	5.1.	2	Crash Timeliness – FARS	43
	5.1.	3	Crash Timeliness – MCMIS	45
	5.1.	4	Crash Timeliness – Crash Geolocation	46
	5.1.	5	Crash Timeliness – Alcohol/Drug Test Results	49
	5.1.	6	Citation Timeliness – Citations within 5 days	50
	5.1.	7	Trauma Registry Timeliness – Median Days	53
	5.1.	8	Injury Surveillance Accuracy – Pre-Hospital	55
	5.1.	9	Injury Surveillance Accuracy – Trauma Registry	56
	5.1.	10	Injury Surveillance Accuracy – Emergency Room	57

	5.1.11	Injury Surveillance Accuracy – Hospital Discharge	58
	5.1.12	Crash Completeness – First Harmful Event (Unknown/Blanks)	59
	5.1.13	Crash Completeness – Crash Severity (Unknown/Blanks)	61
	5.1.14	Crash Completeness – Manner of Collision (Unknown/Blanks)	63
	5.1.15	Roadway Completeness – Missing Route/Milepost data	65
	5.1.16	Injury Surveillance Uniformity –Pre-Hospital (NEMSIS)	66
	5.1.17	Crash Uniformity – MMUCC 5	67
	5.1.18	Driver Integration – Driver/Crash	69
	5.1.19	Citation Integration – Citation/Crash	70
	5.1.20	Roadway Integration – Roadway/Crash	71
	5.1.21	Injury Surveillance Integration —Pre-Hospital/Trauma Registry	73
	5.1.22	Crash/Citation Accessibility –DDACTS Mapping Tool	74
	5.1.23	Crash Accessibility –UDOT Data Requests	75
6.	Traffic I	Records Data Standards Compliance	76
	6.1 Mo	del Inventory of Roadway Elements (MIRE) Compliance	76
	6.1.1	MIRE Data Collection Status	76
	6.1.2	Data Collection Methodology	79
	6.1.3	Coordination with Other Agencies	80
	6.1.4	Prioritization of MIRE Fundamental Data Elements Collection	80
	6.1.5	Costs and Resources for MIRE FDE Data Collection	81
	6.2 Mo	del Minimum Uniform Crash Criteria (MMUCC) Compliance	81
	6.3 Nat	cional Emergency Medical Services Information System (NEMSIS) Compliance	81
	6.4 Nat	ional Trauma Data Standard (NTDS) Compliance	81
	6.5 Nat	cional Information Exchange Model (MIEM) Compliance	81
7.	Technic	al Assistance and Data System Training	82
	7.1 Dat	a System Training	82
	7.1.1	Roadway	82
	7.1.2	Driver	82
	7.1.3	EMS	82
	7.1.4	Crash	83
	7.1.5	Citation	83
	7.1.6	Vehicle	83
	7.2 Tec	hnical Assistance	83

7.2.1	Crash Data Improvement Program (CDIP)	83
7.2.2	NHTSA MMUCC Mapping	83

Utah Traffic Records Coordinating Committee (UTRCC) Strategic Plan Endorsement

Representatives of the Utah Traffic Records Coordinating Committee have reviewed the Utah Traffic Information Systems Strategic Plan and endorse the plan.

Barbra Christofferson

05/17/2021

Barbra Christofferson, State Traffic Records Coordinator Traffic Records Program Manager Utah Department of Public Safety, Highway Safety Office Date

This page intentionally left blank.

Utah Traffic Records Strategic Plan

1. Executive Summary

The Utah Traffic Records Information Systems Strategic Plan serves as a guiding document for Utah's Traffic Records Coordinating Committee (UTRCC). This strategic plan provides a guide for Utah's traffic records information community to work towards increasing timeliness, accuracy, completeness, integration, accessibility, and uniformity of Utah's traffic records data systems.

Utah's traffic records data systems include crash, citation/adjudication, vehicle, driver, roadway, and injury surveillance. Utah's traffic safety community uses data from these systems to provide the insight and analysis required to reduce motor vehicle crashes, injuries, and deaths.

The Utah traffic records strategic goals and related performance measures contained in this document are based upon the recommendations and findings from the NHTSA-sponsored traffic records assessment completed in May 2019.

Using the assessment results to drive discussions, the Utah TRCC held workshops to develop goals, strategies, and the expected improvement outcomes for each traffic records data system (see Section 4 of this document). The TRCC reviewed and responded to each assessment recommendation and will use the strategic goals to plan improvements to the traffic records data systems over the course of the next five plan years. During this process, the UTRCC members provided direction and feedback on the focus of the goals and objectives using their diverse expertise and experience in each of the traffic safety-related areas.

Progress during this plan year includes a substantial increase in crash data analysis capabilities. This increase was achieved by revising the State's crash report form and increasing its compliance to national crash data guidelines (e.g. Model Minimum Uniform Crash Criteria (MMUCC)).

The Utah TRCC's plans for next year include increasing the integration of Utah's crash and citation data via the Utah Transportation and Public Safety Crash Data Initiative (UTAPS-CDI) system. UTAPS-CDI currently integrates crash and roadway data. With the addition of citation data, the UTAPS-CDI will provide increased highway safety analysis capabilities to the Utah Highway Safety Office, the Utah Department of Transportation, and other highway safety analysts.

As with prior strategic plans, this plan will be reviewed by the UTRCC on an annual basis. Reviewing the plan annually provides an opportunity for committee members to revise project plans to better meet changes in organizational priorities, as well as any changes at the state or federal level.

Performance measures within this plan will be reviewed and updated annually to track performance of Utah's traffic records data systems. By doing so, the committee can ensure that data improvement projects are moving forward in a timely manner as prescribed by the State.

Any grant funds awarded under FAST Act, Section 405c shall be used to make quantifiable, measurable progress improvements in the accuracy, completeness, timeliness, uniformity, accessibility, or integration of data in a core highway safety database.

2. Mission & Vision Statements

2.1 Mission Statement

The Utah Traffic Records Coordinating Committee's mission is to bring together State agencies and highway safety stakeholders to encourage and coordinate improvements to the State's traffic records data systems.

These improvements will provide highway safety professionals the analysis they require to fulfill their mission of saving lives by changing behavior, so everyone on Utah's roadways arrives safely.

2.2 Vision Statement

The Utah Traffic Records Coordinating Committee's vision is to provide the highway safety community with advanced traffic records data systems that provide timely, accurate, and integrated analysis capabilities. The resulting analysis will enable the implementation of effective safety countermeasures that improve the safety of Utah's roadways.

3. Traffic Records Coordinating Committee

3.1 Traffic Records Improvement Program Coordinator

Name: Ms. Barbra Christofferson

Title: Traffic Records Program Manager Agency: Utah Highway Safety Office Calvin Rampton Public Safety Complex

Address: 4501 South 2700 West, Building #3, 2nd Floor

City, Zip: Taylorsville, UT 84129

Phone: 801-783-7250

Email: bchristofferson@utah.gov

3.2 TRCC Committee Members

Name / Title	Agency	System Represented
Felicia Alvarez EMS Data Manager	Utah Department of Health, EMS	EMS
Paul Barron Applications Services Manager	Administrative Office of the Courts	Citation
Briana Bitner FARS Analyst	Utah Department of Public Safety, Highway Safety Office	Crash
David Blauer Program Manager	Federal Motor Carrier Administration	Vehicle
Chelsey Burns IT Manager	DTS, Public Safety	All
Christopher Caras Director	Utah Department of Public Safety, Driver License Division	Driver
Barbra Christopherson Traffic Records – Program Manager TRCC Coordinator	Utah Department of Public Safety, Highway Safety Office	All
Sam Clark IT Director	DTS Public Safety	All
Connie Collins Crash Studies Analyst	Utah Department of Transportation	Crash
Larry Cook Professor	University of Utah, School of Medicine	Crash, Driver, EMS

Name / Title	Agency	System Represented
Mike Cook Supervisor	Utah Department of Public Safety, Driver License Division	Driver
Steve Coons IT Director	DTS, Utah Tax Commission	Vehicle
Melanie Crittenden Division Director	Utah Communications Authority	All
Brenden Duffy Data Architect/Program Manager	University of Utah, College of Engineering	Crash, Driver, Roadway, Vehicle
Jeff Duncan Health & Statistics Manager	Utah Department of Health	Roadway, Crash
John Fairbanks, Jr. Manager	Utah Department of Public Safety, Driver License Division	Driver
David Garcia Division Administrator	Federal Motor Carrier Administration	Vehicle
Hannah Gaskill Records Manager/Analyst	Weber County Sheriff's Office	Crash, Citation, Driver, Vehicle
Jeff Lewis Safety Programs Engineer	Utah Department of Transportation	Crash, Roadway
Rick Martin Application Developer	Administrative Office of the Courts	Citation
Juan Medina Research Analyst Professor	University of Utah, College of Engineering	Crash, Driver, Roadway Vehicle
Robert Miles Director	Utah Department of Transportation	Roadway
Matt Peters IT Director	DTS, AGRC/GIS	Crash
Kristen Rogers Court Support Services	Administrative Office of the Courts	Citation
Chad Sheppick Director	Utah Department of Transportation, Motor Carrier Division	Roadway, Vehicle
Carrie Silcox Director	Utah Department of Public Safety, Highway Safety Office	All

Name / Title	Agency	System Represented
Matt Slawson Chief Forensic Toxicologist	Utah Department of Health, Toxicology	Driver, EMS
Roland Stanger Safety and Operations Program Manager	Federal Highway Administration	Roadway
Travis Trotta Lieutenant	Utah Department of Public Safety, Utah Highway Patrol	Crash, Citation, Driver, Vehicle
Angie Turner Records Manager/Analyst	Ogden City Police Department	Crash, Citation, Driver/Vehicle
Kathy Wilcox <i>Manager</i>	Utah Department of Public Safety, BCI	Crash Citation, Driver Vehicle
Greg Willmore Bureau Chief	Utah Department of Public Safety	Crash, Citation, Driver, Vehicle
Yukiko Yoneoka EMS Data Analyst	Utah Department of Health, EMS	EMS

3.3 Past TRCC Meetings

Utah held TRCC meetings on the following dates:

August 6, 2020

November 5, 2020

February 4, 2021

May 6, 2021

3.4 Future TRCC Meeting Schedule

Future TRCC meetings are scheduled for the first Thursday of the month on a quarterly basis. The following dates are:

August 5, 2021

November 4, 2021

February 3, 2022

May 5, 2022

3.5 NHTSA Traffic Records Assessment

The State completed a NHTSA Traffic Records Assessment on May 17, 2019. The State's responses to the assessment recommendations are listed in Section 4. The related performance measures and goals are listed in Section 4.

4. Traffic Records Strategic Plan

4.1 Utah Traffic Records Coordinating Committee (UTRCC)

4.1.1 TRCC Overview

The Utah Department of Public Safety, Highway Safety Office sponsors the Utah Traffic Records Coordinating Committee (UTRCC). The UTRCC is a multidisciplinary, interagency committee with membership from all six core traffic records data systems—crash, driver, vehicle, roadway, citation and adjudication, and injury surveillance.

The UTRCC is organized in three levels that include executive, technical, and working group members. The UTRCC has workgroups that are staffed by subject matter experts organized to address specific technical issues or lead traffic records improvement projects.

The UTRCC Technical Committee Chair and Coordinator is a representative of the Highway Safety Office. The committee is empowered to prepare and implement the Utah Traffic Safety Information Systems Strategic Plan. UTRCC meetings include open and candid discussions between the custodial agencies and State safety stakeholders.

The UTRCC's mission is to provide more timely, accurate, complete, uniform, integrated and accessible data to the Utah traffic safety community. The UTRCC members represent stakeholders from the following areas:

- Highway safety
- Highway infrastructure
- State and Local Law enforcement
- Courts
- Public health and injury control
- Motor carrier agencies and organizations
- Drivers License
- Motor Vehicle
- Research organizations

The role and function of the UTRCC is:

- The UTRCC provides coordination amongst the various state agencies and stakeholders to develop, implement, and monitor improvements to the State's traffic records data systems.
- Review and approve the Utah Traffic Records Safety Information Systems Strategic Plan.
- Consider and coordinate the views of organizations in Utah that are involved in the administration, collection and use of the highway safety data and traffic records system.
- Represent the interests of the agencies and organizations within the traffic records system to outside organizations.

- Review and evaluate new technologies to keep Utah's traffic records systems up to date.
- Promote the importance of technical assistance and training of traffic records data systems.

The UTRCC has been successful in supporting the development, monitoring, and reporting of performance measures for the crash, roadway, driver, vehicle, citation and adjudication, and injury surveillance systems. The UTRCC encourages individual data system managers to implement performance measures for their respective systems and report those measures to the UTRCC.

4.1.2 Recommendations for Traffic Records Coordinating Committee Management from the NHTSA Assessment

There were no Traffic Records Coordinating Committee Management recommendations from the Utah's Traffic Records Assessment that was conducted on May 17, 2019.

4.1.3 Goals for TRCC

TRCC Goal 1. Develop performance measures to improve the timeliness, accuracy, completeness, uniformity, integration, and accessibility of the State's traffic records data.

Strategy: Develop performance measures for each traffic records data system that identify areas where timeliness, accuracy, completeness, uniformity, integration, and accessibility can be improved.

Outcome: By tracking system performance using NHTSA-defined performance measures, data system managers can track the data quality and performance of their data systems.

Activity: Progress has been made in increasing the number of performance measures.

TRCC Goal 2: Develop a Utah Traffic Records Inventory document.

Strategy: The TRCC will sponsor a project to develop and maintain a Utah Traffic Records Inventory document that will facilitate the identification and linking of common data from the various traffic records data systems. The document will contain the data sources, system custodians, data elements and attributes, linkages, and data access policies. This document will be reviewed and updated annually to reflect data system updates and changes.

Outcome: One document that can be used by the various agencies and safety stakeholders as a reference when analyzing, designing, or updating the traffic records component data systems and analysis capabilities.

Activity: In-progress.

TRCC Goal 3: Conduct a technical assistance and training needs assessment for traffic records data system users.

Strategy: At least once per annum, the TRCC will include an agenda item and host a discussion on traffic records data system training needs. This discussion will identify training and technical assistance needs. Additionally, a Technical Assistance and Training section will be added to the Traffic Records Strategic Plan.

Outcome: A better understanding of existing training resources can be used to develop improvements to training and technical assistance. These improvements will result in increased quality of highway safety analysis source data.

Activity: On-going.

TRCC Goal 4: The TRCC will investigate the requirements for a Data Quality Control program for traffic records data systems.

Strategy: The TRCC will provide a framework for discussions on implementing data quality control programs for each data system with the objective of improving data across quantitative and qualitative dimensions. The TRCC will investigate requesting a NHTSA Go Team to assist in developing a Data Quality Control Program for the State's traffic records data systems.

Outcome: Improved timeliness, accuracy, uniformity, accessibility, integration and completeness of the traffic records data systems.

Activity: No activity.

4.1.4 Strategic Planning Overview

The Utah TRCC prioritizes its projects and works with other federal agencies to increase data sharing. The State works with State and local agencies to improve traffic records systems and training of staff on those systems.

4.1.5 Recommendations for Strategic Planning from the NHTSA Assessment

There were no Strategic Planning recommendations from the Utah's Traffic Records Assessment that was conducted on May 17, 2019.

4.1.6 Goals for Strategic Planning

Strategic Planning Goal 1: Include the project selection and prioritization methodology within the traffic records strategic plan.

Strategy: The UTRCC will document the project selection and prioritization method used within the traffic records strategic plan.

Outcome: The project selection and prioritization methodology will be formalized and documented within the traffic records strategic plan.

Activity: Planned.

Strategic Planning Goal 2: The UTRCC will solicit lifecycle costs and plans as part of the project submission process.

Strategy: The UTRCC will consider lifecycle costs during the project selection and prioritization process and these costs within the traffic records strategic plan.

Outcome: The costs of data improvement projects' lifecycle maintenance will be accounted for to ensure the traffic records system continues to function even in the absence of Federal grant funds.

Activity: Planned

4.2 Utah Traffic Records Data Systems Overview

The Utah Traffic Records Data system is comprised of various discrete data systems. These individual data systems span the driver, vehicle, citation/adjudication, crash, roadway, and several injury surveillance data sets (Pre-Hospital, Emergency Department, Hospital Discharge, Trauma Registry, and Vital Records).

Additionally, Utah has a traffic records data warehouse that draws from several of these data systems to centrally house and integrate various data sets into a combined traffic records data set that provides enhanced analysis capabilities to highway safety analysts.

The following table details each system along with any applicable comments.

Data System	System Name	Host Agency	Remarks
Traffic Records Warehouse	UTAPS	University of Utah	Includes Crash, Citation, Roadway
Driver	Driver License Database	Department of Public Safety, Driver License Division	
Vehicle	Vehicle and Dealers Registration System (VADRS)	State Tax Commission and Department of Technology Services	
Citation	Traffic	Department of Public Safety	Law Enforcement System
Citation (Adjudication)	Courts Information System (CORIS)	Administrative Office of the Courts	Courts System
Crash	Traffic	Department of Public Safety	Law Enforcement System
Roadway	UTRANS/ARNOLD	Department of Transportation	
Pre-Hospital Data System (EMS)	Elite	Utah Department of Health, Bureau of EMS and Preparedness	NEMSIS 3.4 compliant
Statewide Emergency Department Data System	Emergency Department Encounter Database	Utah Department of Health, Office of Health Care Statistics	
Statewide Hospital	Healthcare Facility Database	Office of Health Care Statistics, Utah Department of Health	

Data System	System Name	Host Agency	Remarks
Discharge Data System			
Trauma Registry	Utah Trauma Registry	University of Utah, Intermountain Injury Control & Research Center	National Trauma Data Standard (NTDS) compliant
Vital Records	SILVER	Department of Health, Office of Vital Records and Statistics	

4.2.1 Data Use & Integration Overview

Utah decision-makers have access to data and personnel to help them use the data from the individual data systems. The Utah Department of Public Safety, Highway Safety Office host online workbooks with crash statistics and dashboards that are available to highway safety stakeholders and the public. If additional information is needed, a request may be sent to the Traffic Records Program Manager.

The Traffic Records Strategic Plan includes details on data integration with the inclusion of performance measures and status updates. The UTAPS system integrates efforts to manage the crash data in the State for safety improvement purposes. The system integrates crash, roadway, and GIS datasets. Integration of EMS pre-hospital data within UTAPS is being implemented. UTAPS primary users are direct stakeholders (i.e. UHP, DPS, UDOT) and third-party users approved by the State.

The University of Utah has run a premier Crash Outcome Data Evaluation System (CODES) project for many years. Those analysts and statisticians are available to decision-makers and the public to fill applicable data sets.

There are interfaces between the crash-driver and crash-vehicle systems that allow for dynamic exchange of information through UCJIS. Crash and roadway data sets are linked at the Department of Transportation and in UTAPS. Projects are in progress to expand the roadway data set to include additional roadway attributes and asset data.

4.2.2 Recommendations for Data Use & Integration from the NHTSA Assessment

There were no Data Use & Integration recommendations from the Utah's Traffic Records Assessment that was conducted on May 17, 2019.

4.2.3 Goals for Data Use & Integration

Data Use & Integration Goal 1: The TRCC will encourage and facilitate discussions on improving Traffic Records data access, data security, and data integration.

Strategy: Add a section to the TRCC agendas to provide a discussion platform for data access, data security, and data integration efforts. The agencies responsible for each data system will provide updates on any related activities.

Outcome: The TRCC discussions will identify areas of improvement as it relates to data access, data security, and data integration.

Activity: The TRCC has experienced greater participation from traffic records stakeholders that has resulted in increased cooperation and discussions amongst the various data systems.

4.3 Crash Data System Plan

4.3.1 System Overview

The Utah Department of Public Safety has responsibility for the statewide law enforcement crash repository. This system collects crash reports statewide that are then transmitted to an analysis system at the University of Utah.

The Utah Transportation and Public Safety Crash Data Initiative (UTAPS-CDI) is a statewide crash analysis system managed by the University of Utah, Department of Civil and Environmental Engineering. UTAPS-CDI receives 100 percent of the State's crash reports nightly from the Department of Public Safety's crash system but does not receive Native American (i.e. Navajo Nation, Shiprock, and various other tribes) crash reports.

The Department of Public Safety's crash data collection system has a robust system of edit checks and/or validation specifications that help to ensure that the data coming into the system from the field are correct and complete. There are approximately 200 edit/validation checks that ensure accurate and complete entry of crash reports by officers in the field. The statewide crash repository includes further auditing features that provide cross field validations. Data analysts have the ability to run agency specific reports.

In CY2019, Utah updated the State crash form to increase MMUCC 5 compliance. Utah has developed a data dictionary (i.e. Utah Motor Vehicle Crash Report Data Dictionary) that is currently available on the Utah Highway Safety Office website. The State is also working to link the state crash data system with roadway and EMS data systems to enhance data quality.

The State maintains a crash reporting manual and training materials. The data dictionary, user manual, and training materials are updated in coordination with crash form updates.

The Utah Highway Safety Office and the Utah Highway Patrol are responsible for crash report training in the State. The Highway Safety Office's Traffic Records Program Manager and the Fatality Analysis Reporting System (FARS) Data Analyst provide onsite and virtual training sessions to law enforcement agencies. These sessions are part of the data quality control and assurance process and instruct officers on the proper methods of completing a crash report. Additionally, the Utah Highway Patrol provides Intermediate and Advanced training to municipal, county, and state law enforcement.

Utah Department of Public Safety's Highway Safety Office (HSO) has a section of their website dedicated to Utah Crash Data and Statistics dashboards that provide help to visualize and share crash data with shareholders and the public. Each of these dashboards focuses on specific traffic safety factors and provides users with detailed, filterable information regarding each emphasis area.

The combination of UTAP-CDI and the HSO Crash Data and Statistics dashboards provide highway safety stakeholders with the information they require to focus engineering and enforcement efforts in areas with the greatest crash risk.

4.3.2 Crash Recommendations from the NHTSA Assessment

The following crash recommendations are from the Utah's Traffic Records Assessment conducted on May 17, 2019.

1. Improve the data dictionary for the Crash data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measures:

- Section 5.1.17 Crash Uniformity MMJUCC 5
- Section 5.1.18 Driver Integration Driver/Crash
- Section 5.1.19 Citation Integration Citation/Crash
- Section 5.1.20 Roadway Integration Roadway/Crash

See related Crash Goals 1 and 5 in Section 4.3.3.

2. Improve the data quality control program for the Crash data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measures:

- Section 5.1.12 Crash Completeness First Harmful Event (Unknown/Blanks)
- Section 5.1.13 Crash Completeness Crash Severity (Unknown/Blanks)
- Section 5.1.14 Crash Completeness Manner of Collision (Unknown/Blanks)

See related Crash Goal 15 in Section 4.3.3.

3. Improve the interfaces with the Crash data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measures:

- Section 5.1.18 Driver Integration Driver/Crash
- Section 5.1.19 Citation Integration Citation/Crash
- Section 5.1.20 Roadway Integration Roadway/Crash

See related Crash Goal 9 in Section 4.3.3 and Data Use & Integration Goal 1 in Section 4.2.3.

4. Improve the procedures/process flows for the Crash data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measures:

- Section 5.1.1 Crash Timeliness Received within 30 Days
- Section 5.1.4 Crash Timeliness Crash Geolocation

4.3.3 Crash Goals

Crash Goal 1: Update the Crash data dictionary to be compliant with the latest Utah crash form.

Strategy: The Utah DPS, in coordination with the University of Utah, will develop a Crash data dictionary for the UTAPS-CDI crash statewide repository. This effort will use the MMUCC 5 based crash form as a reference for development of the crash data dictionary.

Outcome: A data dictionary for the crash system that includes the variable names and definitions including characteristics, values, limitations, and exceptions. The data dictionary will provide detailed information about the contents of the crash dataset. This will provide a document that is consistently formatted and contains what is needed for others to understand and analyze the crash data.

Activity: Complete.

Crash Goal 2: Incorporate system edit checks and validation rules into the Crash data dictionary.

Strategy: The Utah DPS will incorporate system edit checks and validation rules into the Crash data dictionary for the crash statewide repository. This effort will document the existing edit checks and validation rules currently being used in the law enforcement data collection systems.

Outcome: A data dictionary for the crash system that includes all the business rules required for complete, uniform, and accurate crash data. This update to the data dictionary can be used as an authoritative source for system development, analysis, and training efforts.

Activity: Complete.

Crash Goal 3: Convene an annual TRCC Crash Form Working Group comprised of crash data system stakeholders to review crash form updates and identify other crash related improvements.

Strategy: In order to accommodate evolving crash analysis requirements, the TRCC will form a Crash Form Working group that will meet annually to review the current crash form and investigate crash form and system improvement opportunities.

Outcome: A crash form and data system that is compliant with the latest standards and is satisfying the analysis needs of the highway safety community.

Activity: Planned.

Crash Goal 4: Update the Crash Report Training Manual to reflect the current crash data collection data dictionary and data elements.

Strategy: Highway safety will perform a review of training materials and use the results of that review to update existing training materials.

Outcome: Updated training materials will ensure consistency among the State's crash system data dictionary, field data collection manual, coding manual, crash report.

Activity: Planned.

Crash Goal 5: In the crash data dictionary, document the data elements populated through links to roadway and EMS data systems.

Strategy: Document UTAPS links in the DPS crash data dictionary.

Outcome: Documenting the data elements in the crash database with links to roadway and EMS will provide a more complete picture of the source of data within the crash system.

Activity: Planned.

Crash Goal 6: Update the State of Utah Fatality Analyses Reporting System Procedure Manual.

Strategy: The Highway Safety Office will perform a periodic review and update the State of Utah Fatality Analyses Reporting System Procedure Manual once every two years.

Outcome: By performing periodic reviews and updates to the manual, the State will ensure that the procedures manual is kept consistent with evolving collection and reporting requirements.

Activity: Planned.

Crash Goal 7: Encourage Native American agencies to submit electronic crash data to the statewide crash repository.

Strategy: The DPS Task Force Native American liaison will discuss with Native American agencies regarding submission of crash report data to the statewide crash repository. UDOT will provide support in this effort and will assist in identifying limitations and constraints. The TRCC will encourage and assist Native American agencies in applying for federal funds to improve their crash data collection and submission process.

Outcome: A more complete and representative crash dataset that represents all statewide crashes.

Activity: Planned.

Crash Goal 8: Incorporate GIS layers or API endpoints within DPS Traffic and third-party vendor crash data collection modules.

Strategy: Highway Safety and UDOT will identify opportunities for incorporating State GIS layers (e.g. roadway layers) and/or endpoints (web service-based geolocation endpoints tied to the UDOT roadway network) within the DPS Traffic and third-party vendor crash modules.

Outcome: By incorporating location assignment using UDOT roadway data within the data collection modules, crash locations will be more accurate and complete.

Activity: Planned.

Crash Goal 9: The TRCC will investigate linkage of crash and citation data to enhance highway safety analysis.

Strategy: The TRCC will look for crash and citation linkage opportunities and discuss desired approaches to achieving this linkage.

Outcome: Linkage of crash and citation data will provide enhanced analysis capabilities that can be used for targeted enforcement and roadway improvements.

Activity: Planned.

Crash Goal 10: Develop an accuracy performance measure and target for crash geolocation assignments.

Strategy: Create a crash location accuracy performance measure and related target for the assigned crash geolocation values using the *NHTSA Model Performance Measures for State Traffic Records Systems*.

Outcome: A better understanding of the accuracy of the crash geolocation assignment process. This will identify where improvements can be realized and track performance of the geolocation process over time.

Activity: Planned.

Crash Goal 11: Develop a timeliness performance measure and target for the Quality Control process for UTAPS.

Strategy: Create a crash timeliness performance measure for the UTAPS Quality Control process and a related target using the *NHTSA Model Performance Measures for State Traffic Records Systems*.

Outcome: A better understanding of the timeliness of the UTAPS QC process. This will identify where process bottlenecks occur so actions can be taken to minimize the QC turnaround time.

Activity: Planned.

Crash Goal 12: Develop a MMUCC uniformity performance measure and target for the crash data system.

Strategy: Using the NHTSA-sponsored Model Minimum Uniform Crash Criteria (MMUCC) mapping results, create a performance measure that tracks the uniformity of the Utah crash form to the MMUCC national crash data standard. Create a related target for this performance measure.

Outcome: Tracking the compliance level of the State's crash form to the national crash data standard can be used during future form revisions to add uniform data elements that enable valid statistical analysis.

Activity: Planned.

Crash Goal 13: UTAPS to provide performance metrics to law enforcement agencies.

Strategy: UTAPS will provide crash data performance metric feedback (e.g. timeliness, completeness) to agencies that submit crash data to the statewide crash database.

Outcome: Improved feedback to law enforcement agencies will allow them to identify root causes of submission delays and data quality issues.

Activity: Planned.

Crash Goal 14: Implement a process for sample-based audits of crash data.

Strategy: UDOT will develop and implement a process for sample-based crash data audits using UTAPS as the data source. At a minimum, these audits should occur on an annual basis.

Outcome: Periodic, independent sample-based audits of crash data can be used to identify opportunities for system or procedural improvements. They can also be used to generate new training content, update manuals, update validation rules, and prompt form revisions.

Activity: Planned.

Crash Goal 15: Provide annual Crash system data quality reports to the TRCC.

Strategy: UDOT and UTAPS will provide annual crash data system quality management updates to the TRCC.

Outcome: The TRCC and crash data stakeholders will be aware of data quality issues and can plan for improvements to address these issues.

Activity: Planned.

4.4 Vehicle Data System Plan

4.4.1 System Overview

The State of Utah Vehicle and Dealers Registration System (VADRS) is used to process vehicle titling and registration transactions and is administered by the Division of Motor Vehicles of the Utah State Tax Commission.

The majority of vehicle titling and registration transactions are conducted by tax commission clerks. VADRS terminals are used by tax commission employees to process transactions in real time. Data entered into VADRS is validated through field and logical edits as well as using third party vendor software to confirm Vehicle Identification Number (VIN) information. Noncompliant VINs are manually entered and matched against the MSO (manufacturer statement of origin) or out of state title. VADRS data elements and structures are defined in the VADRS data dictionary. VADRS users are provided training manuals to assist them in processing vehicle title and registration transactions.

The VADRS vehicle data system is not linked to the Driver License Division's Driver License Database.

Utah participates in the National Motor Vehicle Title Information System (NMVTIS) through real time queries while conducting vehicle title transactions. Utah title information is uploaded nightly to NMVTIS via a secure file transfer. Additionally, all vehicle title and registration transactions are run through NCIC hourly. Vehicle title brands and brand history from other states are retained as a part of the Utah vehicle record.

Utah participates in PRISM for vehicles in the International Registration Program (IRP) by sending IRP records. PRISM sends back a record set of all targeted VINs and carriers. Vehicle information is available to law enforcement personnel to complete crash forms, citations, and motor carrier vehicle inspection reports via queries from either in-car data terminals or police communications facilities. Additionally, vehicle registration documents contain AAMVA PDF417 barcoded information allowing for rapid data collection by law enforcement equipped with bar code reading technology.

The Utah Division of Motor Vehicles maintains the VADRS Step by Step Manual User's Manual, the Motor Carrier Step by Step Manual, the IRP Self Plate Step by Step Manual, the MVP New Title/Registration Step by Step Manual, the DMV Policies and Procedures Manual and the Special Group Plate Guide.

These manuals document the collection, reporting, and posting procedures for registration, title, and title brand information.

VADRS incorporates functionality for receiving user feedback to identify problems and receive ideas for improvement, detecting high frequency errors to identify issues, and long-term trend analyses.

4.4.2 Vehicle Recommendations from the NHTSA Assessment

The following Vehicle recommendations are from the Utah's Traffic Records Assessment conducted on May 17, 2019.

1. Improve the data quality control program for the Vehicle data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Vehicle Goal 3 in Section 4.4.3.

2. Improve the interfaces with the Vehicle data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measure in Section 5.1.3 Crash Timeliness – MCMIS.

See related Vehicle Goal 6 in Section 4.4.3.

4.4.3 Vehicle Goals

Vehicle Goal 1: Develop process flow diagrams for Registration and Titling.

Strategy: Use documentation workshops and existing procedural documentation to develop process flow diagrams that include alternate data flows and timelines for the Vehicle data system.

Outcome: Improved understanding and documentation of existing processes that facilitate continuous improvement of business processes and training.

Activity: Planned.

Vehicle Goal 2: Implement sample-based audits of all vehicle records.

Strategy: Currently, Utah Division of Motor Vehicles audits a random sample of third-party transactions; however, internal transactions are not audited. The TRCC recommends that all vehicle records are periodically audited.

Outcome: Data quality audits will ensure that procedures are being followed and that procedures cover all existing processes.

Activity: Planned.

Vehicle Goal 3: Provide annual Vehicle system data quality reports to the TRCC.

Strategy: Division of Motor Vehicles will provide annual vehicle data system quality management updates to the TRCC.

Outcome: The TRCC and vehicle data stakeholders will be aware of data quality issues and can plan for improvements to address these issues.

Activity: Planned.

Vehicle Goal 4: Investigate using PRISM for non-IRP registrations.

Strategy: Division of Motor Vehicles will investigate the use of PRISM for non-IRP registrations.

Outcome: By expanding the use of PRISM for non-IRP registrations, Utah will be able to increase safety monitoring of commercial carriers operating in the State.

Activity: Planned.

Vehicle Goal 5: Develop a Vehicle Accuracy performance measure and target.

Strategy: Develop a Vehicle accuracy performance measure and related targets that track the accuracy of one or more of the following data elements: Vehicle Identification Number, Current registration status, Motor carrier name, Commercial or non-CMV Motor carrier ID, State of registration, Title brands, State of title.

Outcome: A better understanding of the accuracy of critical Vehicle data elements. This will identify where improvements can be realized and provide the ability to track performance of the Vehicle data system over time.

Activity: Planned.

Vehicle Goal 6: Develop a Vehicle Integration performance measure and target.

Strategy: Develop a Vehicle integration performance measure and related target that compares titled vehicles against the National Motor Vehicle Title Information System (NMVTIS). Title data is synchronized with NMVTIS every five years. NMVTIS provides an export of every Utah title in their system. Then, DMV compares the NMVTIS titles against VADRS titles and the discrepancies are counted and tracked.

Outcome: A better understanding of the integration between VADRS and NMVTIS title data sets. This will identify where improvements can be realized and provide the ability to track performance of the Vehicle data system over time.

Activity: Planned.

Vehicle Goal 7: Incorporate system auditing functionality within VADRS.

Strategy: Currently, system auditing is tracked via Excel spreadsheets, this effort will incorporate system auditing functionality directly within the VADRS system.

Outcome: Including system auditing directly within the VADRS system will increase the accessibility and use of system auditing.

Activity: Planned.

4.5 Driver Data System Plan

4.5.1 System Overview

The Utah Department of Public Safety, Driver License Division developed and currently maintains the State's Driver License Database that complies with federal guidelines and contains records of commercial licenses. Exchanges of records and photographs with eligible entities take place according to NHTSA standards, incorporating the record from a previous State of licensure into its own driver history. Within the past two years, the Driver License Division has implemented the State Pointer Exchange Services (SPEXS) program that allows for easier transmission of driver's license data between states and allows for one driver, one license.

The driver system maintains licensed driver data including driver's license type (including commercial licenses), endorsements, restrictions, issuance dates, status, conviction history, DUI and drug arrests, crash involvement limited to cited incidents and instances of no insurance, and driver training history.

An interface exists between the Driver License Database and SPEXS, Problem Driver Pointer System (PDPS), Commercial Driver's License Information System (CDLIS), the Social Security Online Verification (SSOLV), and the Systematic Alien Verification for Entitlement (SAVE) systems. The Court's system provides all convictions (including DUI) electronically to the Driver License Database. Access to the driver data is provided to law enforcement via Utah Criminal Justice Information System (UCJIS). Courts may also access the driver data via UCJIS or it may be provided manually if requested via a certified record.

Utah is able to track DUI offenders; all DUI arrests are sent to the Driver License Database to be entered into the driver record. When a person is arrested an Administrative action can be performed prior to a conviction from the court. If the person is found guilty, the conviction is sent via electronic transfer to the Driver License Database. Arrests and convictions within the Driver License Database are retained on the driver history for 55 years in compliance with federal statutes. Arrests and convictions on the driver record sent to insurance companies, employers, and the driver will be provided a ten-year history. Other traffic infractions are limited to a three-year history.

Utah has developed external fraud prevention policies and procedures. Utah checks for anomalies by running demographic checks to ensure a driver does not possess multiple licenses within the Driver License Database.

Internal fraud prevention procedures include running reports of office and staff activities. The driver system limits user's permissions based on the user's role. The system enforces least privileged access to system functionality and data. The State provides an option to enforcement of data access policy violations with a Class B Misdemeanor.

4.5.2 Driver Recommendations from the NHTSA Assessment

The following Driver recommendations are from the Utah's Traffic Records Assessment conducted on May 17, 2019.

1. Improve the data dictionary for the Driver data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State does not plan to implement. There is no driver system data dictionary in and of itself. However, the Utah Driver Handbook explains all the items that would be in a data dictionary. Also, there are specific validation rules in the driver system application process.

2. Improve the data quality control program for the Driver data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State accepts recommendation.

See related Driver Goal 2 in Section 4.5.3.

4.5.3 Driver Goals

Driver Goal 1: Develop process flow diagrams outlining key data process flows within the Driver License Database.

Strategy: Utah Department of Public Safety, Driver License Division will further develop process flow diagrams to cover established database and primary user groups or downstream data systems (i.e. examiners, issuance staff, law enforcement, courts, or authorized trusted parties).

Outcome: Process flow diagrams will be used to understand the need for and understanding of existing processes and will promote continuous improvement. The process flows can also identify redundant or unnecessary steps.

Activity: Planned.

Driver Goal 2: Implement a formal data quality program that incorporates sample-based audits and comparative and trend analyses against Driver data.

Strategy: The Utah Department of Public Safety, Driver License Division will expand upon and formalize their existing data quality processes. This effort will include documenting the roles, procedures, and periodicity related to the performance of sample-based audits and comparative and trend analyses of the Driver License Database.

Outcome: A formal data quality program will provide the information necessary to implement improvements to the collection, submission, processing, posting, and maintenance of driver data.

Activity: Planned.

4.6 Roadway Data System Plan

4.6.1 System Overview

The Utah Department of Transportation (UDOT) has a mature geospatial roadway data management system. The system supports the ability to map roadway data on all Utah public roads. In addition to the geospatial system, all public roads have a Linear Referencing System (LRS) using Federal Highway Administration's All Roads Network Of Linear-referenced Data (ARNOLD) that is maintained by UDOT. UDOT currently maintains a robust roadway data set for State maintained roadways and some critical data elements on non-State maintained federal-aid roads. The UDOT roadway system includes approximately 5,858 miles (13%) of the total centerline miles with 8,124 miles (18%) being non-State maintained federal-aid routes. The remaining 31,635 miles (69%) are local roads without an LRS with approximately one-half being unpaved roads.

Utah is in the process of transitioning to the requirements of MAP-21, the Moving Ahead for Progress in the 21st Century Act. MAP 21 requires States to have a safety data system in place for all public roads that can be used to perform analyses supporting the strategic and performance-based goals in the Highway Safety Improvement Program (HSIP) and the Strategic Highway Safety Plan (SHSP) for all State public roads. MAP-21 also provides guidance on collecting a subset of the Model Inventory of Data Elements (MIRE). The data element subset identified by the Federal Highway Administration (FHWA) is referred to as the Fundamental Data Elements (FDE). The FDEs are the basic roadway data elements recommended to be collected and linked with crash data for analysis to identify safety problems and to make more effective safety countermeasure decisions for the Highway Safety Improvement Program.

Utah supports the UDOT Data Portal, the portal allows access to roadway data on those State maintained roads and non-State federal-aid roads. Information for the available data layers can viewed and downloaded. Portal data provides roadway inventory, planning, and maintenance data and is used primarily by State and local governments and MPOs (municipal planning organizations). Authenticated and authorized users also have access to crash data tied to the roadway network.

Through a partnership with local agencies the State is working towards collecting all MIRE Fundamental Data Elements for all public roads by CY2022. Regional and local custodians do not currently provide roadway data to the UDOT database.

The Utah Geospatial Resource Center (UGRC), in partnership with UDOT, collects and maintains a dataset that combines GIS data from local, county, and other State and Federal agencies. This contains GIS mapping data that represents the statewide roads centerline dataset for Utah and other road and highway related data such as milepost locations, exit numbers and names, highway linear referencing system (LRS) routes, and label lines for dynamic rendering of highway shields. UGRC pulls data from the UTRANS shared editing database into the Statewide Geographic Information Database (SGID) where it is made publicly available. State and local

governments, academic institutions, municipal planning organizations, and the public use this data for engineering, safety, elections, 911, and other various uses.

4.6.2 Roadway Recommendations from NHTSA Assessment

The following Roadway recommendations are from the Utah's Traffic Records Assessment dated May 17, 2019.

1. Improve the guidelines for the Roadway data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

2. Improve the data dictionary for the Roadway data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measure in Section 5.1.17 Crash Uniformity – MMUCC 5.

See related Roadway Goal 5 in Section 4.6.3.

3. Improve the data quality control program for the Roadway data system to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measure in Section 5.1.15 Roadway Completeness – Missing Route/Milepost Data.

See related Roadway Goal 8 in Section 4.6.3.

4.6.3 Roadway Goals

Roadway Goal 1: Collect and maintain Linear Referencing System (LRS) data within the roadway data system for all Utah public roads.

Strategy: UDOT and the UGRC will collect and maintain LRS data for all Utah public roads.

Outcome: Improve the completeness of the State's roadway data system and enhance highway safety analysis capabilities.

Activity: Complete.

Roadway Goal 2: Collect and maintain the MIRE Fundamental Data Elements (FDE) within the roadway data system for all Utah public roads.

Strategy: Through a partnership with local agencies the State will collect all MIRE Fundamental Data Elements for all public roads by CY2022.

Outcome: Adding the MIRE FDEs to the State's roadway data system will improve the uniformity of the state's roadway data system to the MIRE FDE national data standard. Additionally, collecting MIRE FDEs for all Utah public roads will improve the completeness of the Utah roadway data system and therefore enhance highway safety analysis capabilities.

Activity: On-going effort. The UTAPS team is completing the collection of the FDEs to complement the UDOT maintained enterprise system with the remaining elements to meet the FAST Act requirement.

Roadway Goal 3: Consolidate MIRE Fundamental Data Elements (FDE) data within UTRANS.

Strategy: UDOT will work with the UGRC to update the roadway network data model. UDOT and UGRC will work with cities and counties to maintain the FDEs within the roadway data system.

Outcome: Improve the completeness of the State's roadway data system and enhance highway safety analysis capabilities by consolidating the MIRE FDEs within the UTRANS roadway data system.

Activity: Planned.

Roadway Goal 4: UDOT will review proposed changes using MIRE data elements as the primary guide for implementation for future roadway data element additions or modifications.

Strategy: UDOT will incorporate a process for roadway data element changes where the MIRE data standard is used as the primary guide for data structure modifications.

Outcome: Using MIRE data elements as a guide when adding to or modifying existing roadway data elements will increase the uniformity of the state's roadway data system to the MIRE national data standard.

Activity: Planned.

Roadway Goal 5: Update the UGRC-maintained data dictionary to include the MIRE FDE data elements.

Strategy: UGRC and UDOT will update the data dictionary to include the MIRE FDEs during the process of adding the data elements into the UTRANS database.

Outcome: A well-documented roadway data system that includes an up-to-date definition for each data element that results in a consistent, uniform data set suitable for high quality safety analysis.

Activity: Planned.

Roadway Goal 6: Develop a timeliness performance measure and related target based on the NHTSA Model Performance Measures for a Roadway data system.

Strategy: UDOT will develop a timeliness performance measures and related target based on the NHTSA Model Performance Measures that will measure the average timeliness of Average Annual Daily Traffic (AADT) from date of collection to entry in the roadway data system.

Outcome: Improved understanding of the timeliness performance of the roadway data system and related processes.

Activity: Planned.

Roadway Goal 7: Develop a completeness performance measure and related target based on the NHTSA Model Performance Measures for a Roadway data system.

Strategy: UDOT will develop a roadway completeness performance measure and related target based on the NHTSA Model Performance Measures that will measure the percentage of records with no missing critical data elements or the percentage of records with unknowns or blanks in critical data elements where which unknown is not an acceptable value.

Outcome: Improved understanding of the completeness of the roadway data system.

Activity: Planned.

Roadway Goal 8: Provide annual roadway data quality management updates to the TRCC.

Strategy: Annually, present the latest roadway data system performance measures and results to the TRCC.

Outcome: Improved tracking and awareness of roadway data system performance.

Activity: Planned.

4.7 Citation/Adjudication Data System Plan

4.7.1 System Overview

The Courts Information System (CORIS) is the State of Utah's statewide citation and adjudication system for District and Justice Courts. CORIS is electronically connected to the Utah Department of Public Safety's Bureau of Criminal Identification (BCI) and Driver License Division (DLD). As represented in the ideal traffic records system, the BCI assigns all citation numbers.

Citation information is transmitted to CORIS, CORIS then posts final dispositions (up to and including the resolution of any appeals) to a shared database with the Department of Public Safety. DPS/BCI control how that information is shared with the Driver License Database (i.e. the driver data system) and Vehicle and Dealers Registration System (VADRS) (i.e. the vehicle database). The Utah Department of Public Safety receives a nightly update of cases dispositions from the administrative office of the courts, providing real time access to information on an individual's driving and criminal history. Citation and adjudication data are used for the prosecution of offenders and adjudication of cases, particularly where the history of the defendant would warrant an increase in the charge or sentence. Citation and adjudication data are utilized by the BCI for traffic safety program planning purposes.

The State of Utah's citation and adjudication system follows national data systems and guidelines to ensure compatibility and serve data management and exchange needs. DUI convictions and traffic-related felonies are reported according to Uniform Crime Reporting (UCR) guidelines. The system employs National Center for State Courts (NCSC) guidelines for court records. Data submitted via a web service from the Department of Public Safety to the courts for traffic citations filed electronically adheres to the NIEM Justice Domain guidelines.

The citation management web service data elements (utilized by all agencies in Utah and the court's case management system CORIS) are defined and documented by a data dictionary. The data dictionary is kept up to date with the most recent software release. The system's field data collection manuals, training materials, and corresponding reports are modified and updated in coordination with the data dictionary.

The State's court case management system, CORIS, is capable of distinguishing between the administrative handling of court payments in lieu of court appearances (non-mandatory appearances) and court appearances. Deferrals (pleas in abeyance) and dismissals are tracked by the court's case management system and passed to the driver history record to ensure subsequent repeat offenses are not viewed as first offenses. CORIS has processes for retaining, archiving, and purging citation records as defined and documented by the courts in the Judicial Council Code of Judicial Administration's retention schedule. CORIS includes BAC and drug testing results for impaired driving data tracking. CORIS interfaces with Public Safety for posting of dispositions, so that both the driver and vehicle systems will have dispositions posted to the driver and vehicle files for carrying out of administrative sanctions.

4.7.2 Citation/Adjudication Recommendations from the NHTSA Assessment

The following Citation/Adjudication recommendations are from the Utah's Traffic Records Assessment conducted on May 17, 2019.

1. Improve the data quality control for the Citation and Adjudication systems to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measure in Section 5.1.6 Citation Timeliness – Citations within 5 days.

See related TRCC Goal 4 in Section 4.1.3.

4.7.3 Citation/Adjudication Goals

Citation/Adjudication Goal 1: Data Dictionary - Document eCitation data fields populated through interfaces.

Strategy: The Administrative Office of the Courts will update the CORIS data dictionary to indicate fields that are updated via external data systems.

Outcome: Documenting the data elements in the CORIS database with links to external systems will provide a more complete picture of the source of data within the citation and adjudication system.

Activity: Planned.

Citation/Adjudication Goal 2: Implement a MIDRIS-compliant Utah DUI tracking system.

Strategy: The TRCC will spearhead an effort to define the DUI tracking system requirements and work with Highway Safety to promote implementation of the system. The TRCC will seek input from DUI stakeholders including Driver License Division, prosecutors, law enforcement, BCI, Highway Safety, courts, and the Utah Department of Corrections, Adult Probation & Parole (AP&P).

Outcome: Charge and sentence offenders appropriately, based on their driving histories; Manage impaired driving cases from arrest through completion of court and administrative sanctions; Identify populations, trends, and problematic components of the overall impaired driving control system; Adequately gauge DWI trends and the effectiveness of a range of education, information, enforcement, legislative, and other countermeasures; Provide stakeholders with adequate and timely information to fulfill their responsibilities; Provide key decision-makers (law enforcement, DMV, prosecutors, judges, etc.) with adequate and timely

information to allow equitable imposition of charges and penalties; improve efficiency and reduce the administrative burden on system stakeholders.

Activity: Planned.

Citation/Adjudication Goal 3: Develop a timeliness performance measure and target for the CORIS citation data system.

Strategy: Create a timeliness performance measure for the CORIS citation data system and a related target using the *NHTSA Model Performance Measures for State Traffic Records Systems*.

Outcome: A better understanding of the timeliness of the CORIS citation data. This will identify where process bottlenecks occur so actions can be taken to improve the timeliness of citation data.

Activity: Planned.

Citation/Adjudication Goal 4: Develop a timeliness performance measure and target for the Department of Public Safety Traffic citation data.

Strategy: Create a timeliness performance measure for the law enforcement Traffic citation data system and a related target using the *NHTSA Model Performance Measures for State Traffic Records Systems*. Timeliness measure should report statewide averages and timeliness by reporting agency.

Outcome: A better understanding of the timeliness of the law enforcement Traffic citation data. This will identify where submission and process bottlenecks occur so actions can be taken to improve the timeliness of law enforcement citation data.

Activity: Planned.

Citation/Adjudication Goal 5: Develop a completeness performance measure and target for the Traffic citation data.

Strategy: Create a completeness performance measure for the law enforcement Traffic citation data system and a related target using the *NHTSA Model Performance Measures for State Traffic Records Systems*. The completeness measure should report statewide averages and completeness by reporting agency.

Outcome: A better understanding of the completeness of the law enforcement Traffic citation data. This will identify missing or incomplete data so improvements in training and/or validation can be implemented.

Activity: Planned.

Citation/Adjudication Goal 6: Implement geolocation functionality within the Traffic citation data system.

Strategy: Implement functionality with the Traffic citation data system to enable officers to geolocate citations using GPS and/or GIS technologies.

Outcome: Increased citation analysis capabilities allowing stakeholders to perform map-based and roadway-based queries of citation data.

Activity: Planned.

Citation/Adjudication Goal 7: Develop a geolocation completeness performance measure and target for the Traffic citation data system.

Strategy: Create a geolocation completeness performance measure for the law enforcement Traffic citation data system and a related target using the *NHTSA Model Performance Measures for State Traffic Records Systems*. The completeness measure should report geolocation completeness by reporting agency.

Outcome: A better understanding of the completeness of the geolocation data elements in the law enforcement Traffic citation data. This will identify missing or incomplete location data and provide the information necessary to track geolocation improvements in the Traffic citation data system.

Activity: Planned.

4.8 Injury Surveillance Data System Plan

4.8.1 System Overview

An ideal statewide Injury Surveillance System is minimally comprised of data from five core components: pre-hospital emergency medical services (EMS), trauma registry, emergency department, hospital discharge, and vital records. This data provides more detailed information on the nature and extent of injuries sustained in a motor vehicle crash than can be found in other components of the traffic records system. Consequently, this information is invaluable when determining the injury severity, costs, and clinical outcomes of the individuals involved.

Utah has all five major components of a traffic records injury surveillance system and the available data is accessible to both traffic safety stakeholders, as well as the public, through either aggregate summary tables or department approved data use agreements. There is also an advanced data integration project at the University of Utah that links crash data with EMS and hospital data, as well as other traffic records component systems.

4.8.1.1 Pre-Hospital Data System

The Utah Department of Health Bureau of EMS and Preparedness manages the pre-hospital data collection system known as the ImageTrend-based Elite system. Paper reports are not accepted, per State rule, and the data collection is 100 percent electronic. The system is NEMSIS 3.4-compliant and the software system incorporates comprehensive edit checks and validations to ensure that the data falls within acceptable parameters. The State has developed performance measures and metrics for all six data quality categories and quality management reports are regularly shared with the Traffic Records Coordinating Committee (TRCC). There is a sound feedback loop between users and data collectors as well as performance reporting to submitting agencies from the State and processes are clearly documented.

There are approximately seven different software systems submitting data to the statewide repository. All agencies have submitted data electronically to the repository. Provider submission requirements are defined as "Emergency Medical Services Providers shall submit NEMSIS EMS incident data elements for each Patient Care Report in the format defined in the NEMSIS EMS DataSet, as follows: incidents occurring between the 1st and 15th of a calendar month shall be submitted no later than the last day of the same calendar month; incidents occurring between the 16th and last day of a calendar month shall be submitted no later than the 15th of the following calendar month". Most EMS providers report within the first week after the incident.

4.8.1.2 Statewide Emergency Department and Hospital Discharge Data Systems

The Utah Department of Health Office of Health Care Statistics (OHCS) in the Center for Health Data and Informatics is the agency responsible for the statewide emergency department and hospital discharge data systems. These systems are managed by a third-party vendor, Mercer. All system-related documentation is available online for limited-use data files. For information related to the unlimited data files, authorization must be obtained by OHCS. Feedback with regards to training and error correction between Mercer and the submitting hospitals is

conducted to ensure that data is as accurate as possible. Aggregate data is available through the Utah Indicator-Based Information System for Public Health and the OHCS is planning to begin publishing annual reports again soon. Requests for the unlimited data set may be filled upon approval by the Department of Health Institutional Review Board.

4.8.1.3 Statewide Trauma Data System

The statewide trauma registry data system is managed by the Utah Department of Health Bureau of EMS and Preparedness and is housed on the Clinical Data Management (CDM) by ESO platform. Data is collected for trauma cases from 100 percent of the State's acute care hospitals. There are three methods of data collection; some facilities submit data directly to the Statewide Trauma Registry, others submit through a web-based process directly to the registry, and the remainder are entered via a manual abstraction at the state. The trauma data is available to the public through annual reports; to the hospital registrars through an OLAP Trauma Cube, and to other hospital audiences through a Trauma Tableau Dashboard. Data quality is reviewed at the front-end by the CDM system and subsequently by the Intermountain Injury Control & Research Center at the University of Utah. The State has developed performance measures and metrics for all categories except completeness for the Strategic Plan. The State Trauma performance improvement and patient safety workgroup and the Trauma System Advisory Committee have built, reviewed, and approved Trauma System performance measures.

Feedback loops have been established between data managers and users and quarterly Trauma User Group meetings are used to discuss common issues and concerns.

4.8.1.4 Vital Records Data System

The Utah Department of Health Office of Vital Records and Statistics (OVRS) is responsible for managing all vital statistics data including death certificates. Utah submits all data to the National Center for Health Statistics (NCHS) for quality review. Due to strict requirements from the NCHS, the State relies on that quality review to ensure that all State data conforms to standards. Therefore, all records are reviewed at the local health department, the OVRS, and the NCHS before being admitted to the State file. Aggregate data is available through the Utah Indicator-Based Information System for Public Health.

4.8.2 Injury Surveillance Recommendations from the NHTSA Assessment

The following Injury Surveillance recommendations are from the Utah's Traffic Records Assessment dated May 17, 2019.

1. Improve the applicable guidelines for the Injury Surveillance systems to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

2. Improve the data quality control program for the Injury Surveillance systems to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measures:

- Section 5.1.8 Injury Surveillance Accuracy Pre-Hospital
- Section 5.1.9 Injury Surveillance Accuracy Trauma Registry
- Section 5.1.10 Injury Surveillance Accuracy Emergency Room
- Section 5.1.11 Injury Surveillance Accuracy Hospital Discharge
- Section 5.1.16 Injury Surveillance Uniformity Pre-Hospital (NEMSIS)
- Section 5.1.17 Crash Uniformity MMUCC 5

See related EMS/Injury Surveillance Goal 2 Section 4.8.3.

3. Improve the interfaces with the Injury Surveillance systems to reflect best practices identified in the Traffic Records Program Assessment Advisory.

State Accepts Recommendation.

See related Performance Measures in Section 5.1.21 Injury Surveillance Integration – Pre-Hospital/Trauma Registry.

See related EMS/Injury Surveillance Goal 1 in Section 4.8.3.

4.8.3 EMS/Injury Surveillance Goals

EMS/Injury Surveillance Goal 1: Develop an Integration performance measure and related target that counts the number of records linked between the emergency department, hospital discharge, vital records, trauma data, and EMS data using the Department of Health Master Person Index (DOHMPI).

Strategy: DOH Informatics will develop an integration performance measure based on the NHTSA Model Performance Measures.

Outcome: Improved understanding of the integration of the State's injury surveillance system and related processes.

Activity: Planned.

EMS/Injury Surveillance Goal 2: Annually, the Injury Surveillance data system managers (i.e. emergency department, hospital discharge, trauma registry, EMS) will present data system performance and quality reports to the TRCC.

Strategy: The TRCC will schedule an annual review of Injury Surveillance data systems performance. The Injury Surveillance data system managers will present data system performance metrics to the TRCC.

Outcome: The TRCC members will have an increased understanding of the performance of the Injury Surveillance data systems. This will provide allow identification of data system performance issues and provide opportunities for improvement.

Activity: Planned.

EMS/Injury Surveillance Goal 3: Capture alcohol and drug toxicology results for all DUI cases.

Strategy: The Utah Public Health Laboratory, Toxicology section and the Utah Highway Safety Office will develop a plan to capture alcohol and drug toxicology results for all DUI cases.

Outcome: Increased understanding and analysis of DUI-involved crashes.

Activity: Planned.

5. Progress

5.1 Traffic Records Performance Measures

5.1.1 Crash Timeliness – Received within 30 days

Label: C-T-2

Status of Improvement: Demonstrated Improvement

Related Project/System: Crash

Narrative

Utah will improve the Timeliness of the Crash system as measured in terms of:

The percentage of crash reports entered into the database within 30 days after the crash.

The result is an increase in timeliness of 1.10%. The target for the next period is 98%.

Measurements

Start Date	End Date	% Received within 30 days	Target (%)
January 1, 2015	December 31, 2015	96.35%	Not set
January 1, 2016	December 31, 2016	97.40%	Not set
January 1, 2017	December 31, 2017	97.40%	Not set
January 1, 2018	December 31, 2018	97.3%	Not set
April 1, 2019	March 31, 2020	90.68%	98%
April 1, 2020	March 31, 2021	91.78%	98%
April 1, 2021	March 31, 2022		98%

Supporting Materials (Backup)

Current

```
)/ count(la.PS_CASE_NUMBER) *100
    )
,2) AS percentWithInTime
FROM traffic.LE_ACTIVITY la
WHERE SUBMITTED_DTTIME >= timestamp'2020-04-01 00:00:00'
AND SUBMITTED DTTIME < timestamp'2021-04-01 00:00:00'
   AND la.ACTIVITY TYPE = 'A';
Baseline (last year):
SELECT count(la.PS_CASE_NUMBER) AS total,
round(
    sum(
        CASE
            WHEN (to_date(la.SUBMITTED_DTTIME) - to_date(la.OCCURRED_DTTIME)) <= 30
THEN 1
            ELSE 0
            END
        )/ count(la.PS CASE NUMBER) *100
    )
,2) AS percentWithInTime
FROM traffic.LE ACTIVITY la
WHERE SUBMITTED DTTIME >= timestamp'2019-04-01 00:00:00'
AND SUBMITTED DTTIME < timestamp'2020-04-01 00:00:00'
   AND la.ACTIVITY_TYPE = 'A';
```

5.1.2 Crash Timeliness – FARS

Label: C-T-1

Status of Improvement: Demonstrated Improvement

Related Project/System: FARS

Narrative

Utah will improve the Timeliness of the Crash system as measured in terms of:

The mean number of days from the crash date to the date the fatal crash is initially entered into the FARS system.


The result is an increase in timeliness of 9 days. The target for the next period is 5 days.

Measurements


Start Date	End Date	Mean Number of Days	Target (days)
January 1, 2015	December 31, 2015	9	Not set
January 1, 2016	December 31, 2016	11	Not set
January 1, 2017	December 31, 2017	7	Not set
January 1, 2018	December 31, 2018	8	Not set
April 1, 2019	March 31, 2020	15	Not set
April 1, 2020	March 31, 2021	6	Not set
April 1, 2021	March 31, 2022		5

Supporting Materials (Backup)

Current



Baseline



5.1.3 Crash Timeliness – MCMIS

Label: C-T-1

Status of Improvement: TBD **Related Project/System:** MCMIS

Narrative

Utah will improve the Timeliness of the FMCSA Motor Carrier Management Information System (MCMIS) as measured in terms of:

The median number of days from the commercial vehicle crash date to the date of entry into the MCMIS database.

The result is an (increase/decrease) in timeliness of TBD days.

Measurements

Start Date	End Date	Median Number of Days	Target (days)
January 1, 2015	December 31, 2015	15	Not set
January 1, 2016	December 31, 2016	20	Not set
April 1, 2016	March 31, 2017	20	Not set
April 1, 2017	March 31, 2018	20	Not set
April 1, 2018	March 31, 2019	15	Not set
April 1, 2019	March 31, 2020	Data not available yet	Not set
April 1, 2020	March 31, 2021	Data not available yet	Not set
April 1, 2021	March 31, 2022		TBD

5.1.4 Crash Timeliness – Crash Geolocation

Label: C-T-1

Status of Improvement: Demonstrated Improvement

Related Project/System: FARS

Narrative

Utah will improve the Timeliness of crash geolocation assignments as measured in terms of:


The median days from the crash date to the date the crash has been geolocated in the statewide crash repository.

The result is an increase in timeliness of 11.6 days. The target for the next period is 4.3 days.

Measurements

Start Date	End Date	Median Number of Days	Target (days)
January 1, 2015	December 31, 2015	9	Not set
January 1, 2016	December 31, 2016	11	Not set
January 1, 2017	December 31, 2017	7	Not set
January 1, 2018	December 31, 2018	8	Not set
April 1, 2019	March 31, 2020	16.2	Not set
April 1, 2020	March 31, 2021	4.6	Not set
April 1, 2021	March 31, 2022		4.3

Supporting Materials (Backup)



<u>Baseline</u>

			D	ays fro	m Incide	nt to Entry Into	FastFARS	Within 1	4 Days	Within 3	0 Day
tate	Jurisdiction	Number of Fatal Cases	Max	Mean	Median	90 Percentile	95 Percentile	Cases	%	Cases	%
49	Blank	3	121	72	93	121	121	1	33	1	3:
49	American Fk PD	3	5	4	5	5	5	3	100	3	10
49	Beaver Co. Sheriff	2	67	46	46	67	67	0	0	1	5
49	Bountiful PD	2	38	27	28	38	38	0	0	1	5
49	BOX ELDER SHERIFF	1	1	1	1	1	1	1	100	1	10
49 49	Clearfield PD Clinton PD	1	18 28	18 28	18 28	18 28	18 28	0	0	1	10
49	Cottonwood Hts. PD	1	47	47	47	47	47	0	0	0	10
49	DNR	1	6	6	6	6	6	1	100	1	10
49	Draper PD	1	1	1	1	1	1	1	100	1	10
49	Duchesne Co. Sheriff	1	3	3	3	3	3	1	100	1	10
49	Grand Co. Sheriff	1	8	8	8	8	8	1	100	1	10
49	Harrisville PD	1	10	10	10	10	10	1	100	1	10
49	HERRIMAN PD	1	216	216	216	216	216	0	0	0	0
49	Hurricane PD	2	25	17	17	25	25	1	50	2	10
49	Layton Police	6	7	2	2	3	7	6	100	6	10
49	Logan City Police	2	36	21	22	36	36	1	50	1	5
49	Moab PD	2	4	2	3	4	4	2	100	2	10
49	Murray PD	2	5	4	4	5	5	2	100	2	10
49	Navajo Police	3	216	129	167	216	216	1	33	1	3
49	ogden police	7	32	9	8	9	32	6	86	6	8
49	Orem PD	1	5	5	5	5	5	1	100	1	10
49	Park City PD	1	4	4	4	4	4	1	100	1	10
49	Payson PD	2	3	2	2	3	3	2	100	2	10
49	Pl. Grove PD	1	2	2	2	2	2	1	100	1	10
49	Price PD	1	7	7	7	7	7	1	100	1	10
49	Provo PD	5	39	14	8	39	39	3	60	4	8
49	Riverdale PD	1	45	45	45	45	45	0	0	0	0
49	SALT LAKE POLICE	2	17	15	15	17	17	1	50	2	10
49	San Juan Co. Sheriff	1	15	15	15	15	15	0	0	1	10
49	SANDY POLICE	3	60	26	16	60	60	1	33	2	6
49	Sanpete Co. Sheriff	1	7	7	7	7	7	1	100	1	10
49	shiprock police	1	8	8	8	8	8	1	100	1	10
49	SLCPD	10	- 6	2	2	6	6	10	100	10	10
49	South Salt Lake PD	5	49	15	6	49	49	3	60	4	8
49	Sp. Fork PD	1	2	2	2	2	2	1	100	1	10
49	st.george police	5	94	29	10	94	94	3	60	4	8
49	Summit Co. Sheriff	2	7	4	5	7	7	2	100	2	10
49	UHP Sec 1	10 8	85	13	6	12	85	9	90	7	9
49 49	UHP Sec 13	6	134 80	21	3	21 64	134 80	4	75 67	4	6
49	uhp sec 2 uhp sec 3	3	16	7	3	16	16	2	67	3	10
49	unp sec 3 uhp sec 4	13	58	10	3	28	28	11	85	12	9
49	uhp sec 5	5	7	2	2	7	7	5	100	5	10
49	uhp sec 6	7	40	7	2	3	40	6	86	6	8
49	uhp sec 7	7	75	19	8	33	75	5	71	5	7
49	UHP Sec 8	2	2	1	1	2	2	2	100	2	10
49	UHP Sec 9	10	26	4	1	4	26	9	90	10	10
49	UHP Sec. 10	6	4	1	2	2	4	6	100	6	10
49	UHP Sec.11	8	10	4	4	10	10	8	100	8	10
49	uhp sec.14	10	11	5	6	10	11	10	100	10	10
49	uhp section 12	11	17	5	5	8	8	10	91	11	10
49	unified police dept.	9	198	-	4	117	198	7	78	7	7
49	UTA	1	4	4	4	4	4	1	100	1	10
49	UTAH CO SHERIFF	3	5	3	3	5	5	3	100	3	10
49	UTE PD	1	2	2	2	2	2	1	100	1	10
49	W Jordan PD	4	6	2	2	6	6	4	100	4	10
49	Washington Co. Sheriff	1	27	27	27	27	27	0	0	1	10
49	weber co sheriff	6	221	41	7	9	221	5	83	5	8
49	Woods Cross PD	1	1	1	1	1	1	1	100	1	10
49	WVCPD	8	61	11	4	10	61	7	88	7	8

5.1.5 Crash Timeliness – Alcohol/Drug Test Results

Label: C-T-1

Status of Improvement: No Improvement

Related Project/System: Crash

Narrative

Utah will improve the Timeliness of the Crash system as measured in terms of:

The mean number of days from the date of sample arrival at the Utah Public Health Laboratory until a report is issued to law enforcement.

The result is a decrease in timeliness of 2 days. The target for the next period is 25 days.

Measurements

Start Date	End Date	Mean Number of Days	Target (days)
January 1, 2014	December 31, 2014	14	14
January 1, 2015	December 31, 2015	24	14
April 1, 2016	March 31, 2017	25	14
April 1, 2017	March 31, 2018	26	14
April 1, 2018	March 31, 2019	28	14
April 1, 2019	March 31, 2020	28	14
April 1, 2020	March 31, 2021	30	25
April 1, 2021	March 31, 2022		25

5.1.6 Citation Timeliness – Citations within 5 days

Label: C/A-T-2

Status of Improvement: Demonstrated Improvement

Related Project/System: CORIS

Narrative

Utah will improve the Timeliness of the Citation system as measured in terms of:

The percentage of electronically filed citations filed with CORIS within 5 days of the date of violation.

The result is an increase in timeliness of 0.32%. The target for the next period is 93.5%.

Measurements

Start Date	End Date	% Received within 5 days	Target (%)
July 1, 2013	June 30, 2014	90.4%	Not set
July 1, 2014	June 30, 2015	90.5%	Not set
July 1, 2015	June 30, 2016	91.1%	Not set
July 1, 2016	June 30, 2017	92.75%	Not set
July 1, 2017	June 30, 2018	92.55%	Not set
July 1, 2018	June 30, 2019	92.27%	Not set
July 1, 2019	June 30, 2020	93.11%	Not set
April 1, 2020	March 31, 2021	93.43%	Not Set
April 1, 2021	March 31, 2022		93.5%

Supporting Materials (Backup)

_				
<i>(</i> 1	ır	re	n	t
L	41	ıc		L

	А	В	С	D	Е	F	G	Н	I	J	K
1	DIST	RICT					JUSTICE				
2	year	month	delayed >5 days	total efiled cits	% late		year	month	delayed >5 days	total efiled cits	% late
3											
4	2020	4	144	782	18.41%		2020	4	979	13083	7.48%
5	2020	5	166	1354	12.26%		2020	5	1554	25361	6.13%
6	2020	6	218	1525	14.30%		2020	6	1558	24048	6.48%
7	2020	7	229	1890	12.12%		2020	7	1637	26877	6.09%
8	2020	8	182	1722	10.57%		2020	8	1515	26626	5.69%
9	2020	9	205	1813	11.31%		2020	9	1901	29245	6.50%
10	2020	10	207	1632	12.68%		2020	10	1751	26830	6.53%
11	2020	11	215	1624	13.24%		2020	11	1623	27393	5.92%
12	2020	12	161	1585	10.16%		2020	12	1801	24856	7.25%
13	2021	1	203	1750	11.60%		2021	1	1599	26474	6.04%
14	2021	2	179	1731	10.34%		2021	2	1520	24700	6.15%
15	2021	3	208	1827	11.38%		2021	3	1495	28681	5.21%
16											
17	total F	Y20:	2317	19235	12.05%		total FY20:		18933	304174	6.22%
18											
19											
20	GRAN	ND TOTAL	21250	323409	6.57%						
21	DIST	& JUST									

Baseline

Script on the CORIS database to obtain the data.

Script is run separately on the District Court and Justice Court databases, and data combined. Percentage late (over 5 days) subtracted from 100% to get total timely filed.

```
create temp table tempcit
( fil year INTEGER,
fil month INTEGER,
 dayslate INTEGER,
countlate INTEGER) with no log;
insert into tempcit(fil year, fil month, dayslate, countlate)
select year(filing date), month(filing date),
        c.filing date - date(ch.viol datetime), count(*)
from kase c, charge ch, crim_case cc
where c.int case num = cc.int case num
and cc.cit num IS NOT NULL
and c.filing_type = "E"
and c.filing date BETWEEN "04/01/2020" AND "03/31/2021"
 and c.int_case_num = ch.int_case_num
 and ch.seq = 1
group by 1, 2, 3;
select tc.fil_year, tc.fil_month,
```

```
sum(tc.countlate) delayed_more5d
from tempcit tc
where tc.dayslate > 5
group by 1, 2
order by 1, 2;

select tc.fil_year, tc.fil_month,
        sum(tc.countlate) total_efiled
from tempcit tc
group by 1, 2
order by 1, 2;
```

5.1.7 Trauma Registry Timeliness – Median Days

Label: 1-T-2

Status of Improvement: Demonstrated Improvement

Related Project/System: Trauma Registry

Narrative

The Utah Trauma Registrars will improve the Timeliness of the Trauma Registry as measured in terms of:

The median number of days from the date of the event to the date the record is entered into the trauma registry.

The state will show measurable progress using the following method: The median number of days from the date of the event to the date the record is entered into the trauma registry. Compare the current period to the baseline period.

The result is an increase in timeliness of 25 days. The target for the next period is 90 days.

Measurements

Start Date	End Date	Median Number of Days	Target (days)
January 1, 2014	December 31, 2014	142	Not set
January 1, 2015	December 31, 2015	132	Not set
January 1, 2016	December 31, 2016	151	Not set
January 1, 2017	December 31, 2017	150	Not set
January 1, 2018	December 31, 2018	150	Not set
January 1, 2019	December 31, 2019	125	Not set
January 1, 2020	December 31, 2020	Data not available yet	Not set
January 1, 2021	December 31, 2021		90

Supporting Materials (Backup)

Current

Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19		Oct-19		Dec-19	2019 Total
2	4	5	6	3	1	2	9	6	5	9	7	59
3	0	1	7	2	1	0	3	0	6	4	0	27
11	9	8	5	4	8	7	6	4	3	5	2	72
4	6	2	3	1	2	1	6	7	9	5	1	47
3	2	1	1	3	0	3	1	2	2	1	3	22
1	1	1	2	4	2	3	1	13	2	3	1	34
8	4	0	3	5	4	4	1	4	3	3	0	39
1	6	1	3	2	0	1	2	3	1	4	6	30
13	5	11	10	26	16	19	17	18	17	13	11	176
10	9	12	5	11	16	10	7	8	9	6	3	106
4	4	3	2	4	3	1	1	0	0	0	0	22
0	0	0	0	0	0	1	0	0	0	0	0	1
6	10	11	11	8	18	10	15	15	11	11	9	135
0	1	0	1	1	1	1	1	1	0	0	0	7
10	9	13	10	6	14	14	21	10	13	11	14	145
22	15	14	11	14	12	10	19	15	11	12	18	173
4	2	1	4	2	3	1	6	4	6	7	2	42
8	4	8	6	6	5	13	9	9	8	0	0	76
6	0	0	1	2	2	5	3	3	3	0	0	29
10	10	9	16	18	14	16	15	6	13	13	9	149
16	11	12	16	7	14	5	12	22	20	17	6	158
5	13	9	6	16	6	12	6	13	8	8	12	114
8	3	9	9	3	7	4	4	9	8	8	3	75
14	5	15	8	12	9	14	8	5	10	13	9	122
4	0	2	5	3	7	5	3	7	1	3	4	44
16	13	16	16	9	13	14	18	17	14	0	0	146
1	1	2	0	3	1	2	2	4	6	4	0	26
4	3	1	1	3	5	2	1	2	3	2	0	27
1	1	7	1	6	4	6	7	6	4	2	5	50
4	1	10	10	15	14	4	9	16	13	7	2	105
14	8	8	9	6	14	16	13	22	20	16	8	154
21	19	20	19	22	33	21	21	24	23	21	26	270
46	41	62	22	15	24	38	39	15	14	11	50	377
4	5	2	9	7	7	7	9	15	15	4	1	85
7	3	10	12	11	3	15	19	13	17	12	12	134
1	1	2	7	2	8	16	0	1	1	1	0	41
36	28	16	24	30	29	28	34	26	31	23	3	308
25	29	18	20	25	15	19	21	13	21	23	23	255
28	27	29	27	24	22	30	20	14	27	18	17	283
29	22	22	19	27	22	21	14	19	26	25	23	269
35	34	39	33	37	36	43	36	39	31	30	35	428
95	88	102	105	89	94	91	98	93	125	106	90	1176
98	74	72	86	107	82	103	95	82	117	88	86	1090
29	39	33	41	24	0	0	34	48	25	28	22	388
68	59	51	58	57	47	52	57	43	45	64	55	656
99	81	98	106	124	128	136	120	109	119	82	97	1299
250	197	260	211	230	220	258	277	238	251	192	222	2806
70	57	79	95	119	126	96	103	93	63	54	65	1020
135	118	138	132	148	164	161	163	180	153	124	126	1742
												15039

5.1.8 Injury Surveillance Accuracy – Pre-Hospital

Label: I-A-1

Status of Improvement: Demonstrated Improvement

Related Project/System: Elite

Narrative

Utah will improve the Accuracy of the Pre-Hospital system as measured in terms of:

The percentage of pre-hospital records with no errors in critical fields.

The result is an increase in accuracy of 0.01 percent. The target for the next period is 99 percent.

Measurements

Start Date	End Date	Percent Accuracy	Target (Percent)
January 1, 2017	December 31, 2017	97.48%	Not set
January 1, 2018	December 31, 2018	97.48%	Not set
January 1, 2019	December 31, 2019	98.72%	Not set
January 1, 2020	December 31, 2020	98.73%	Not set
January 1, 2021	December 31, 2021		99%

5.1.9 Injury Surveillance Accuracy – Trauma Registry

Label: I-A-1

Status of Improvement: No Improvement **Related Project/System:** Utah Trauma Registry

Narrative

Utah will improve the Accuracy of the Trauma Registry as measured in terms of:

The percentage of Trauma Registry records with no errors in critical fields.

The result is no increase in accuracy of 86 percent. The target for the next period is 88 percent.

Measurements

Start Date	End Date	Percent Accuracy	Target (Percent)
January 1, 2017	December 31, 2017	85%	Not set
January 1, 2018	December 31, 2018	86%	Not set
January 1, 2019	December 31, 2019	86%	Not set
January 1, 2020	December 31, 2020	Data not available yet	Not set
January 1, 2021	December 31, 2021		88%

5.1.10 Injury Surveillance Accuracy – Emergency Room

Label: I-A-1

Status of Improvement: Demonstrated Improvement

Related Project/System: Emergency Department Encounter Database

Narrative

Utah will improve the Accuracy of the Emergency Room as measured in terms of:

The percentage of Emergency Room records with no errors in critical fields.

The result is an increase in accuracy of 1.45 percent. The target for the next period is 98 percent.

Measurements

Start Date	End Date	Percent Accuracy	Target (Percent)
January 1, 2014	December 31, 2014	24%	Not set
January 1, 2015	December 31, 2015	35%	Not set
April 1, 2016	March 31, 2017	66%	Not set
April 1, 2017	March 31, 2018	90%	Not set
April 1, 2018	March 31, 2019	97.25%	Not set
April 1, 2019	March 31, 2020	98.7%	Not set
April 1, 2020	March 31, 2021	Data not available yet	Not set
April 1, 2021	March 31, 2022		98%

Supporting Materials (Backup)

Encounter_Type	Admission_Year	Admission_Quarter	Nonempty_Street_Address_Cnt	Total_Record_Cnt	Percent_of_Total_Records_with_Nonempty_Street_Address	
E	2019	1	179930	181790	99.0%	
E	2019	2	178172	180232	98.9%	
E	2019	3	184772	187023	98.8%	
E	2019	4	179479	181473	98.9%	
I	2019	1	71922	72473	99.2%	
I	2019	2	71431	72006	99.2%	
I	2019	3	72157	72833	99.1%	
I	2019	4	70709	71258	99.2%	

5.1.11 Injury Surveillance Accuracy – Hospital Discharge

Label: I-A-1

Status of Improvement: Demonstrated Improvement **Related Project/System:** Healthcare Facility Database

Narrative

Utah will improve the Accuracy of the Hospital Discharge records as measured in terms of:

The percentage of Hospital Discharge records with no errors in critical fields.

The result is an increase in accuracy of 6.17 percent. The target for the next period is 99.2 percent.

Measurements

Start Date	End Date	Percent Accuracy	Target (Percent)
January 1, 2014	December 31, 2014	36%	Not set
January 1, 2015	December 31, 2015	43%	Not set
April 1, 2016	March 31, 2017	63%	Not set
April 1, 2017	March 31, 2018	86%	Not set
April 1, 2018	March 31, 2019	97.25%	Not set
April 1, 2019	March 31, 2020	92.93%	Not set
April 1, 2020	March 31, 2021	99.1%	Not set
April 1, 2021	March 31, 2022		99.2%

Supporting Materials (Backup)

Current

Encounter_Type	Admission_Year	Admission_Quarter	Nonempty_Street_Address_Cnt	Total_Record_Cnt	Percent_of_Total_Records_with_Nonempty_Street_Address	
			470070		no ne	
E	2019		179930		99.0%	
E	2019	2	178172	180232	98.9%	
E	2019	3	184772	187023	98.8%	
E	2019	4	179479	181473	98.9%	
I	2019	1 1	71922	72473	99.2%	
I	2019	2	71431	72006	99.2%	
I	2019	3	72157	72833	99.1%	
I	2019	4	70709	71258	99.2%	

5.1.12 Crash Completeness – First Harmful Event (Unknown/Blanks)

Label: C-C-3

Status of Improvement: No Improvement **Related Project/System:** Traffic/UTAPS

Narrative

Utah will improve the Completeness of crash records as measured in terms of:

The percentage of unknowns or blanks in critical data elements for which unknown is not an acceptable value.

The result for First Harmful Event is a decrease in completeness of 0.01 percent. The target for the next period is 0.00 percent.

Measurements for First Harmful Event

Start Date	End Date	Percent Unknown/Blank	Target (Percent)
April 1, 2014	March 31, 2015	0.59%	Not set
April 1, 2015	March 31, 2016	0.21%	Not set
April 1, 2016	March 31, 2017	0.00%	Not set
April 1, 2017	March 31, 2018	0.00%	Not set
April 1, 2018	March 31, 2019	0.00%	Not set
April 1, 2019	March 31, 2020	0.00%	Not set
April 1, 2020	March 31, 2021	0.01%	Not set
April 1, 2021	March 31, 2022		0.00%

Supporting Materials (Backup)

Current

```
2020-2021
SELECT * FROM TRAFFIC.CRASH
WHERE VERSION = '1'
and REPORT_COMPLETED_DTTIME < '01-APRIL-2021'
AND REPORT_COMPLETED_DTTIME > '31-MARCH-2020'
AND FIRST_HARMFUL_EVENT_CODE = '89'

=3 out of 54544 = 0.01%
```

Baseline

```
2019-2020
SELECT * FROM TRAFFIC.CRASH
WHERE VERSION = '1'
and REPORT_COMPLETED_DTTIME < '01-APRIL-2020'
AND REPORT_COMPLETED_DTTIME > '31-MARCH-2019'
AND FIRST_HARMFUL_EVENT_CODE = '89'
=0
```

5.1.13 Crash Completeness – Crash Severity (Unknown/Blanks)

Label: C-C-3

Status of Improvement: No Improvement **Related Project/System:** Traffic/UTAPS

Narrative

Utah will improve the Completeness of crash records as measured in terms of:

The percentage of unknowns or blanks in critical data elements for which unknown is not an acceptable value.

The result for Crash Severity is a decrease in completeness of 0.01 percent. The target for the next period is 0.00 percent.

Measurements for Crash Severity

Start Date	End Date	Percent Unknown/Blank	Target (Percent)
April 1, 2014	March 31, 2015	0.08%	Not set
April 1, 2015	March 31, 2016	0.00%	Not set
April 1, 2016	March 31, 2017	0.00%	Not set
April 1, 2017	March 31, 2018	0.00%	Not set
April 1, 2018	March 31, 2019	0.00%	Not set
April 1, 2019	March 31, 2020	0.00%	Not set
April 1, 2020	March 31, 2021	0.01%	Not set
April 1, 2021	March 31, 2022		0.00%

Supporting Materials (Backup)

Current

```
2020-2021

SELECT * FROM TRAFFIC.CRASH
WHERE VERSION = '1'
and REPORT_COMPLETED_DTTIME < '01-APRIL-2021'
AND REPORT_COMPLETED_DTTIME > '31-MARCH-2020'
AND SEVERITY_CODE = '89'
=8 of 57.544 = 0.01%
```

Baseline

```
2019-2020
SELECT * FROM TRAFFIC.CRASH
WHERE VERSION = '1'
and REPORT_COMPLETED_DTTIME < '01-APRIL-2020'
AND REPORT_COMPLETED_DTTIME > '31-MARCH-2019'
AND SEVERITY_CODE = '89'
=0
```

5.1.14 Crash Completeness – Manner of Collision (Unknown/Blanks)

Label: C-C-3

Status of Improvement: No Improvement **Related Project/System:** Traffic/UTAPS

Narrative

Utah will improve the Completeness of crash records as measured in terms of:

The percentage of unknowns or blanks in critical data elements for which unknown is not an acceptable value.

The result for Manner of Collision has decreased in completeness of 43.79 percent. The target for the next period is 40 percent.

Measurements for Manner of Collision

Start Date	End Date	Percent Unknown/Blank	Target (Percent)
April 1, 2014	March 31, 2015	0.24%	Not set
April 1, 2015	March 31, 2016	0.08%	Not set
April 1, 2016	March 31, 2017	0.06%	Not set
April 1, 2017	March 31, 2018	0.06%	Not set
April 1, 2018	March 31, 2019	0.05%	Not set
April 1, 2019	March 31, 2020	12.26%	Not set
April 1, 2020	March 31, 2021	56.05%	Not set
April 1, 2021	March 31, 2022		40%

Supporting Materials (Backup)

Current

```
2019-2020
SELECT count(DISTINCT ACTIVITY_IDX) FROM TRAFFIC.CRASH
WHERE VERSION = '1'
and REPORT_COMPLETED_DTTIME < '01-APRIL-2020'
AND REPORT_COMPLETED_DTTIME > '31-MARCH-2019'
AND MANNER_OF_COLLISION_CODE = '89' OR MANNER_COLLISION_CODE = '99'
=8,295 of 67,686 = 12.26%
```

Baseline

```
2020-2021

SELECT count(DISTINCT ACTIVITY_IDX) FROM TRAFFIC.CRASH

WHERE VERSION = '1'

and REPORT_COMPLETED_DTTIME < '01-APRIL-2021'

AND REPORT_COMPLETED_DTTIME > '31-MARCH-2020'

AND MANNER_OF_COLLISION_CODE = '89' OR MANNER_OF_COLLISION_CODE='99'
=32,256 of 57,544 = 56.05%
```

5.1.15 Roadway Completeness – Missing Route/Milepost data

Label: R-C-1

Status of Improvement: Maintained Improvement

Related Project/System: ARNOLD

Narrative

Utah will improve the Completeness of roadway records as measured in terms of:

The percentage of public roadways with complete route and milepost (LRS) data.

The result has maintained 100% in completeness. The target for the next period is 100 percent.

Start Date	End Date	Percent Complete	Target (Percent)
January 1, 2016	December 31, 2016	100%	Not set
April 1, 2016	March 31, 2017	100%	Not set
April 1, 2017	March 31, 2018	100%	Not set
April 1, 2018	March 31, 2019	100%	Not set
April 1, 2019	March 31, 2020	100%	Not set
April 1, 2020	March 31, 2021	100%	Not set
April 1, 2021	March 31, 2022		100%

5.1.16 Injury Surveillance Uniformity –Pre-Hospital (NEMSIS)

Label: I-U-1

Status of Improvement: Maintained Improvement

Related Project/System: Elite

Narrative

Utah will improve the Uniformity of the Pre-Hospital data as measured in terms of:

The percentage of records in the State Pre-Hospital system (Elite) that are National Emergency Medical Service Information System (NEMSIS) 3.4 compliant.

The result is maintaining complete uniformity with NEMSIS 3.4 at 100 percent. The target for the next period is 100 percent.

Measurements

Start Date	End Date	Percent Uniform	Target (percent)
January 1, 2015	December 31, 2015	100%	Not set
April 1, 2015	March 31, 2016	100%	Not set
April 1, 2016	March 31, 2017	100%	Not set
April 1, 2017	March 31, 2018	100%	Not set
April 1, 2018	March 31, 2019	100%	Not set
April 1, 2019	March 31, 2020	100%	Not set
April 1, 2020	March 31, 2021	100%	Not set
April 1, 2021	March 31, 2022		100%

5.1.17 Crash Uniformity – MMUCC 5

Label: C-U-1

Status of Improvement: Demonstrated Improvement

Related Project/System: Traffic/UTAPS

Narrative

Utah will improve the Uniformity of crash data as measured in terms of:

The percentage of MMUCC 5 compliant data elements entered into the crash database or obtained via linkage to other databases. The measurement is limited to crash data elements as designated in the MMUCC 5 data standard.

The result is an increase in uniformity of 16.18 percent. The target for the next period is 83 percent.

Measurements

Start Date	End Date	Percent Uniform	Target (percent)
April 1, 2019	March 31, 2020	66.07%	Not set
April 1, 2020	March 31, 2021	82.25%	Not set
April 1, 2021	March 31, 2022		83%

Supporting Materials (Backup)

Current

Utah Mapping Scores

Generated on 18-MAR-21

N /	la	 	_	-	1	-	- 2

Guideline Name	Guideline Version	State Structure Name	Version Comment
MMUCC GUIDELINES VERSION - 5	5	Utah Motor Vehicle Crash Report Data Dictionary - 12.2020	2021 MMUCC 5 Mapping

Total Percent Mappable for All Elements

Data Structure Name	System	Percent (%)
Utah Motor Vehicle Crash Report Data	Crash	82.25 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Vehicle	76.97 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Person	68.24 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Roadway	55.6 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Fatal Section	52.38 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Large Vehicles & Hazardous Materials Section	36.2 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Non-Motorist Section	41.39 %
Dictionary - 12.2020		
Utah Motor Vehicle Crash Report Data	Dynamic Data Elements	0 %
Dictionary - 12.2020		

<u>Baseline</u>

Utah Mapping Scores

Generated on 07-FEB-20

Mapping Info

Guideline Name	Guideline Version	State Structure Name	Version Comment
MMUCC GUIDELINES VERSION - 5	5	2016 Crash Report Data Dictionary	2019 MMUCC 5 Mapping

Total Percent Mappable for All Elements

Data Structure Name	System	Percent (%)
2016 Crash Report Data Dictionary	Crash	66.07 %
2016 Crash Report Data Dictionary	Vehicle	58.95 %
2016 Crash Report Data Dictionary	Person	37.63 %
2016 Crash Report Data Dictionary	Roadway	2.08 %
2016 Crash Report Data Dictionary	Fatal Section	0 %
2016 Crash Report Data Dictionary	Large Vehicles & Hazardous Materials Section	26.99 %
2016 Crash Report Data Dictionary	Non-Motorist Section	45.23 %
2016 Crash Report Data Dictionary	Dynamic Data Elements	0 %

5.1.18 Driver Integration – Driver/Crash

Label: D-I-1

Status of Improvement: No Improvement

Related Project/System: UTAPS

Narrative

Utah will improve the Integration of the crash data integrated with Driver records as measured in terms of:

The percentage of records in the UTAPS database that are linked to crash data.

The result is no increase in integration. The target for the next period is 10 percent.

Measurements

Start Date	End Date	Percent Integrated	Target (percent)
April 1, 2019	March 31, 2020	0%	Not set
April 1, 2020	March 31, 2021	0%	Not set
April 1, 2021	March 31, 2022		10%

5.1.19 Citation Integration – Citation/Crash

Label: C/A-I-1

Status of Improvement: No Improvement

Related Project/System: UTAPS

Narrative

Utah will improve the Integration of the crash data integrated with citation records as measured in terms of:

The percentage of records in the UTAPS database that are linked to citation data.

The result is no increase in integration. The target for the next period is 10 percent.

Measurements

Start Date	End Date	Percent Integrated	Target (percent)
April 1, 2019	March 31, 2020	0%	Not set
April 1, 2020	March 31, 2021	0%	Not set
April 1, 2021	March 31, 2022		10%

5.1.20 Roadway Integration – Roadway/Crash

Label: R-I-1

Status of Improvement: Demonstrated Improvement

Related Project/System: UTAPS

Narrative

Utah will improve the Integration of the crash data integrated with roadway records as measured in terms of:

The percentage of records in the UTAPS database that are linked to roadway data.

The result is an increase in integration of 10 roadway data elements linked to crash data. The target for the next period is 13 elements.

Measurements

Start Date	End Date	Number of Elements	Target
April 1, 2019	March 31, 2020	0	Not set
April 1, 2020	March 31, 2021	10 elements	Not set
April 1, 2021	March 31, 2022		13 elements

Supporting Materials (Backup)

Current

Online web services (APIs) are currently used to link crash records to roadway and area elements during Quality Control (a post-process after record submission):

- Urban/Rural areas
- MPO (Metropolitan Planning Organization)
- UDOT Region
- Roadway Functional Class
- Roadway number in the Linear Referencing System
- Direction of travel (Positive or Negative)
- Milepost
- Segment type (Mainline, Collector, Ramp, Traffic Circle, Miscellaneous, Historic)
- Exit number
- Ramp ID

Potential Future Elements

A general list of desirable elements to be linked from the roadway system has been provided by UDOT and will be used to prioritize further integration. Elements include (but are not limited to) the following:

- Rumble strip (type)
- Right shoulder width
- Left shoulder width
- Median condition
- Number of Travel Lanes
- Number of Left Turn Lanes
- Number of Right Turn Lanes
- Bicycle Lane
- Barrier
- Sidewalk/curb & gutter
- Intersection

Baseline

No data elements linked.

5.1.21 Injury Surveillance Integration —Pre-Hospital/Trauma Registry

Label: |-|-1

Status of Improvement: Maintained Improvement **Related Project/System:** Elite/Utah Trauma Registry

Narrative

Utah will improve the Integration of the Trauma Registry data integrated with Pre-Hospital records as measured in terms of:

The percentage of records in the Pre-Hospital database that are linked to Trauma Registry data.

The result has maintained linkage between Trauma Registry and Pre-Hospital data. The target for the next period is 95 percent.

Measurements

Start Date	End Date	Percent Integrated	Target (percent)
January 1, 2015	December 31, 2015	19%	Not set
April 1, 2016	March 31, 2017	17%	Not set
April 1, 2017	March 31, 2018	15%	Not set
April 1, 2018	March 31, 2019	64%	Not set
April 1, 2019	March 31, 2020	90%	Not set
April 1, 2020	March 31, 2021	90%	Not set
April 1, 2021	March 31, 2022		95%

5.1.22 Crash/Citation Accessibility – DDACTS Mapping Tool

Label: C-X-1, C/A-X-1

Status of Improvement: Demonstrated Improvement

Related Project/System: DDACTS

Narrative

Utah will improve the Accessibility of the crash and citation data as measured in terms of:

The number of users accessing and using the official DDACTS Mapping Tool.

The result is an increase in accessibility. The target for the next period is 55 users.

Measurements

Start Date	End Date	Number of Agencies	Target
April 1, 2019	March 31, 2020	0	Not set
April 1, 2020	March 31, 2021	46 (UHP)	Not set
April 1, 2021	March 31, 2022		55

5.1.23 Crash Accessibility –UDOT Data Requests

Label: C-X-1

Status of Improvement: No Improvement **Related Project/System:** UTRANS/ARNOLD

Narrative

Utah will improve the Accessibility of crash data as measured in terms of:

The number of users accessing UDOT's portal for data requests.

The result is a slight decrease in accessibility. The target for the next period is 750 users.

Measurements

Start Date	End Date	Number of Users	Target
January 1, 2015	December 31, 2015	252	Not set
April 1, 2016	March 31, 2017	539	Not set
April 1, 2017	March 31, 2018	655	Not set
April 1, 2018	March 31, 2019	655	Not set
April 1, 2019	March 31, 2020	725	Not set
April 1, 2020	March 31, 2021	724	Not set
April 1, 2021	March 31, 2022		750

6. Traffic Records Data Standards Compliance

6.1 Model Inventory of Roadway Elements (MIRE) Compliance

In this section, Utah has incorporated specific quantifiable and measurable anticipated improvements for the collection of MIRE fundamental data elements.

6.1.1 MIRE Data Collection Status

Which MIRE fundamental data elements are currently being collected and which MIRE fundamental data elements are not being collected? On which functional classes of roads are/are not they being collected?

The following tables summarize which data are currently collected, and which data are planned for collection within each functional class group).

	Complete	Non-Local		Local	
Status	In Progress	Minor Collector and Above			Unpaved
Key	Planned	State-Owned	Other Roads	Local Functional	All
	Not Required	Roads	(Federal Aid)	Class	Classifications
	4. Type of Government			ARNOLD	
	Ownership			Allivolo	
	8. Route Number				
	9. Route/Street Name				
	3. Noute/ street Nume	Business	Systems		
	10. Begin Point Descriptor				
	11. End Point Descriptor			ARNOLD	
	42 Constant the differen				
	12. Segment Identifier				
TS	13. Segment Length 18. Direction of Inventory 19. Functional Class 20. Rural/Urban Designation 21. Federal Aid/Route Type 22. Access Control		Derived		
MEN			Business Systems		
E	19. Functional Class				
	20. Rural/Urban	Business Systems			
Z	Designation				
I ₹	21. Federal Aid/Route				
<u> </u>	Туре	Business systems			
SE	22. Access Control				
	23. Surface Type		Collect: usRAP Maintain: ARNOLD		
	31. Number of Through	Asset		ARNOLD	
	Lanes	Inventory			
	54. Median Type				
	79. AADT	Business Systems		ARNOLD	
	75. AADT			7111110110	
	80. AADT Year				
	91. One/Two-Way	Collect: usRAP			
	Operations	Maintain: ARNOLD			

Status In Progress Key Planned Not Required		Non-Local Minor Collector and Above State-Owned Other Roads Roads (Federal Aid)		Local Local Functional Class	Unpaved All Classifications
JUNCTION ELEMENTS	120. Junction Identifier 122. Identifier for Road 1 Crossing Point 123. Identifier for Road 2 Crossing Point 126. Intersection Geometry 131. Intersection Traffic Control	Asset Inventory	(Federal Aid) usRAP		
JUNCT	139. Unique Approach Identifier 140. Approach AADT 141. Approach AADT Year	Business	Collection method unknown/unavailable Systems		

	Complete	Non-Local Minor Collector and Above		Local	Unpaved
Status	In Progress				
Key	Planned	State-Owned	Other Roads	Local Functional	All
	Not Required	Roads	(Federal Aid)	Class	Classifications
	178. Interchange Identifier	Asset			
	182. Interchange Type	Inventory			
NTS	187. Ramp Length	Derived			
ME	191. Ramp AADT				
ELE	192. Year of Ramp AADT		Not Applicable, All		
INTERCHANGE ELEMENTS	19. Functional Class	Business Systems	Interchanges are Located on		
A	4. Type of Government		the State		
舌	Ownership		System		
2	195. Roadway Type at				
∣⊭	Beginning Ramp Terminal 197. Location Identifier	Asset			
Z	for Roadway at Beginning				
	199. Roadway Type at	Collection method			
	Ending Ramp Terminal	unknown/unavailable			
	201. Location Identifier	Asset			
	for Roadway at Ending	Inventory			

Which business office(s) in the State DOT collect, receive, and maintain the MIRE fundamental data elements? How are the data stored and managed?

The Asset Management, Maintenance, Pavement, and Traffic & Safety groups oversee asset data collection and maintenance activities. Data are stored on state servers and managed by internal analysts or IT staff.

Who can access the MIRE fundamental data elements for safety analyses, and what steps are necessary to access the data? Are systems planned or already implemented to facilitate access to the data (e.g. online portals)?

All data are available through UDOT data portal at data.udot.utah.gov.

Which agency/office/individual/committee(s) have authority and responsible for determining the improvements needed to achieve compliance with the MIRE fundamental data elements requirement?

This is a joint effort with the Asset Management, Maintenance, Pavement, Traffic & Safety, and HPMS groups.

6.1.2 Data Collection Methodology

For the MIRE fundamental data elements that are already being collected:

• What methods are being used to collect the MIRE fundamental data elements?

Bi-annual asset inventory is used for state roads.

usRAP safety protocol is used for non-state roads, this has been completed once and is planned for updates every 3 – 5 years.

Eventually some data will be submitted directly by local governments, these plans are still in the works.

How often do they collect the data?

See answers above.

• What Quality Control/Quality Assurance processes are performed before the data is entered into the database.

Analysts and other data users review data for acceptance. Contractors providing data also perform rigorous quality checks.

6.1.3 Coordination with Other Agencies

For MIRE fundamental data elements that are NOT currently being collected:

• Who owns the roads where the elements are not being collected (e.g., State, local government agencies, Trial Governments, Federal Land Management Agencies, etc.)?

A plan is in place for all MIRE FDE. Roads owned by local governments have required the most time and effort to collect.

• Do the agencies that own those roads collect any of the MIRE fundamental data elements?

Not currently, in the future we hope that local agencies will maintain and submit their own data, but we do not have a method for this yet.

• What mechanisms are needed to share data among those agencies that collect, store, maintain, and use the MIRE fundamental data elements?

Data is already publicly available and publicized to users via local outreach programs and other interactions.

6.1.4 Prioritization of MIRE Fundamental Data Elements Collection

For additional data that needs to be collected to meet the MIRE fundamental data element requirement:

• What data elements will be collected in the short (1-3 years), medium (4-6 years), and long (7-9 years) term?

All data has been collected recently or will be within the next year.

• What collection technologies and/or methodologies are anticipated to be used?

LiDAR asset inventory and usRAP data collection via streetview.

• Who is responsible for collecting the data?

Primarily, it is the Traffic & Safety Division.

• How will it be made available to the State DOT?

In asset databases and publicly available data portals.

What will be the update cycle for the collection of the data?

Every other year for state roads, every 3-5 years for non-state roads.

6.1.5 Costs and Resources for MIRE FDE Data Collection

What are the estimated costs, staffing, and other resource requirements to collect and maintain the MIRE fundamental data elements?

Who will incur those costs?

Total costs are approximately \$1 million to \$1.5 million annually. Costs are split between the Traffic & Safety, Maintenance, and Pavement groups.

6.2 Model Minimum Uniform Crash Criteria (MMUCC) Compliance

Utah's crash repository is currently 82.25% MMUCC V5 compliant at the Crash data element level.

6.3 National Emergency Medical Services Information System (NEMSIS) Compliance

The Utah EMS Run Reporting System (ELITE) is currently at NEMSIS 3.4 compliant.

6.4 National Trauma Data Standard (NTDS) Compliance

The Utah Statewide Trauma Registry is maintained by the University of Utah, Intermountain Injury Control & Research Center and is National Trauma Data Standard (NTDS) compliant.

6.5 National Information Exchange Model (MIEM) Compliance

Utah's eCitation web services are National Information Exchange Model (NIEM) compliant.

7. Technical Assistance and Data System Training

7.1 Data System Training

7.1.1 Roadway

The UTRANS dataset is updated monthly (many counties provide updates less frequently) and a public version can be found on the <u>Open Data page</u>, with additional details on our <u>website</u>. For UDOT/AGRC, editors that work directly in the shared statewide database (UTRANS) are trained within their agency by peers and colleagues that have previously performed road data editing tasks. Editors keep an open dialog and are available to help resolve questions.

For local municipalities and counties, no formal training is passed down from the state level UTRANS editors, however, local governments train their personnel internally and AGRC offers assistance when needed, or if specific questions/issues arise. All data aggregated from the counties is run through an automated change detection process (road geometry and specific attribute changes). All road segments that are flagged with changes are then reviewed and accepted by AGRC personnel before they are included in the UTRANS database.

7.1.2 Driver


The Utah Department of Public Safety, Driver License Division is responsible for providing training and training materials for the Driver data system. The Division uses PowerPoint presentations for that train for data entry and processing roles.

7.1.3 EMS

The Bureau of Emergency Medical Services and Preparedness provides training to Utah EMS services and includes training webinars on the https:\\bensp.utah.gov website.

Although there are different software platforms used in the State to collect EMS Run reports and there is vendor specific training provided by each, the reports are uploaded to the State. Once received, there are data validation and consistency checks performed and the results are used to provide additional focused training to correct deficiencies.

Example Course Listing



7.1.4 Crash

Utah Highway Patrol is responsible for crash report training in the State. They provide Intermediate and Advanced training to municipal, county, and state law enforcement.

7.1.5 Citation

There is no specific training for completing citations since citations are relatively straightforward to complete in the electronic citation modules in use within the State. Additionally, the citation data collection modules enforce edit checks and data validation rules to guide the officer to completing error free citations.

7.1.6 Vehicle

The Utah Division of Motor Vehicles provides on-the-job training to personnel entering data into the Vehicle data system. This training consists of knowledge transfer sessions and other types of peer-to-peer informal training.

7.2 Technical Assistance

7.2.1 Crash Data Improvement Program (CDIP)

The Crash Data Improvement Program was developed to provide States with a means to assess and measure the data quality of their crash databases. In 2011, Utah participated in this program and the FHWA Office of Safety conducted a review of the State's crash reporting data systems. This review resulted in recommendations that Utah has implemented to improve the State's Crash Data Production Process, the Crash Location Process, and to develop and improve data system performance monitoring.

7.2.2 NHTSA MMUCC Mapping

The State of Utah requested for NHTSA to perform a MMUCC V5 data standard mapping analysis in 2019. In 2021, Utah requested a follow up mapping analysis after updating the State's crash

report to increase MMUCC V5 compliance. The results of the mapping analysis detailed Utah's improvement in MMUCC compliance in 2021.